STRUCTURAL STEEL STEEL PURLIN & CLEAT SYSTEM. SAFETY NETTING **UNDERLAY LAID OVER** ROOFING INDUSTRIES MULTIRIB OF TROUGH OF ROOFING MULTIRIB, GAP 5mm MAX CLEAR R.I. O.55mm APRON FLASHING WITH SELECTED WASHER HEAD APRON - CHASED NOTCHED TURN-DOWN OVER PROFILED FOAM CLOSURE STRIP (2) COMMERCIAL MULTIRIB ROOFING 2x65 STEELTEK & NEO HEAD APRON CHASED POLYSULPHIDE SEALANT 200min COVER 20min GAP OOmin LAP **EDGE** FLASHING CONCRETE WALL STOP END HEM TO 35 min NOTE: NOTES: (1) MINIMUM PITCH 3°(2) FOAM CLOSURE STRIP ONLY REQUIRED IN HIGH DATE DRAWN FILE REFERENCE DETAIL NO. These details are generally in compliance with the NZ Metal Roof $\stackrel{.}{\bullet}$ Wall Cladding Code of Practice and in some cases specific details by Roofing Details are for steel based materials, other substrate may require some This drawing is the copyright of 'Roofing Industries' and can only be copied The building designer is ultimately responsible to ensure that details used meet the requirements of the NZ Building Code for the specific project. RISK SITUATIONS OF WIND BLOWN MOISTURE ENTERING Code of Practice www.metalroofer.org.nz & www.roof.co.nz Further information can be obtained from the NZ Metal Roof \$ Wall Cladding or reproduced with their permission. be applicable to other profiles These details are for Roofing Industries profile/s as nominated and may not environments including when aluminium is used Alternative support to galvanised netting should be used in severe coastal Underlay selection and building wrap types are the responsibility of the Details of the supporting structure are indicative only and are the Where necessary adjust drawings for purlin battens or cavity battens. Thermal break or cavity battens may be required in some circumstances responsibility of the building designer. RI-CMRROOGA.DWG 01/03/12 CMRR006A ©COPYRIGHT DETAIL 2012

manufacturing locations

Bird's beak dimension

may vary betweer

2-5mm GAP

roof.co.nz