COMMERCIAL RIBLINE WALL CLADDING HORIZONTAL HEAD DETAIL


DETAIL NO.

CRW026A

DATE DRAWN

FILE REFERENCE RI-CRW026A.DWG

28/03/12




NOTES:

- These details are generally in compliance with the NZ Metal Roof & Wall Cladding Code of Practice and in some cases specific details by Roofing Industries!.
- The building designer is ultimately responsible to ensure that details used meet the requirements of the NZ Building Code for the specific project.
- Details of the supporting structure are indicative only and are the responsibility of the building designer.
- Thermal break or cavity battens may be required in some circumstances
- Underlay selection and building wrap types are the responsibility of the designer, Alternative support to galvanised netting should be used in severe coastal environments including when aliennium is used.
- environments including when aluminium is used.

 These details are for Roofing Industries profile/s as nominated and may not be
- applicable to other profiles.

 This drawing is the copyright of 'Roofing Industries' and can only be copied or reproduced with their permission.
- Further information can be obtained from the NZ Metal Roof \$ Wall Cladding Code of Practice www.metalroofer.org.nz & www.roof.co.nz
- Where necessary adjust drawings for purlin battens or cavity battens
- Details are for steel based materials, other substrate may require some changes



HORIZONTAL RIBLINE HEAD DETAIL

©COPYRIGHT DETAIL 2012

