

CARRARA & STATUARIO

COLLECTIONS


RIALTO
porcellanato



RIALTO
porcellanato



RIALTO
porcellanato

CARRARA

CARRARA



Sizes

- 60x60cm
- 60x120cm

Finish es

- Natural
- Polished
- Sof polished

White



RIALTO



Carrara White 60x120cm

CARRARA

Carrara White 60x60cm



RIALTO

CARRARA



Carrara White 60x120cm

RIALTO

Carrara White 60x120 cm





CARRARA



Carrara White 60x120 cm

STATUARIO



Sizes

60x60cm
60x120cm

Finish es

Natural
Polished
Sof polished

STATUARIO

White



RIALTO



Statuario White 60x120cm

STATUARIO

Statuario White 60x60cm



RIALTO

STATUARIO



Statuario White 60x120cm




Statuario White 60x120 cm

RIALTO

Carrara White




60x60cm



60x120cm

CARRARA & STATUARIO

Statuario White



60x120cm



60x60cm

RIALTO Technical specifications



UNE-EN ISO 10545	Test Standard ISO 13006-EN1441	Product Standard RIALTOVALUES	CARRARA & STATUARIO RIALTO VALUES
Características dimensionales / Dimensional and surface appearance / Caractéristiques dimensionnelles			
Espesor / Thickness / Épaisseur	ISO 10545-2	± 0,5%	± 0,49%
Longitud y anchura / Length and width / Longueur et largeur	ISO 10545-2	± 0,5%	± 0,30%
Ortogonalidad / Squareness / Angularité	ISO 10545-2	± 0,6%	≤ 0,60%
Planaridad / Surface Flatness / Planeité	ISO 10545-2	± 0,5%	+0,90 mm / -0,60 mm
Propiedades físicas / Physical Properties / Propriétés physiques			
Absorción de agua / Water absorption / Absorption d'eau	ISO 10545-3	≤ 0,5%	≤ 0,15%
Resistencia a flexión N/mm ² / Modulus of rupture N/mm ² / Résistance à la flexion N/mm ²	ISO 10545-4	≥ 35 N/mm ²	49 N/mm ²
Carga de ruptura N / Breaking strength / Résistance à la rupture	ISO 10545-4	≥ 1300 N	2500 N
Resistencia al choque térmico / Resistance to thermal shock / Résistance aux choc thermique	ISO 10545-9	EXIGIDA / REQUIRED	CUMPLE / ACHIEVED
Resistencia a la helada / Frost resistance / Résistance aux gel	ISO 10545-12	EXIGIDA / REQUIRED	CUMPLE / ACHIEVED
Propiedades químicas / Chemical properties / Propriétés chimiques			
Resistencia a productos de limpieza y aditivos / Resistance to household chemical and swimming pool / Résistance aux produits de nettoyage et aditifs	ISO 10545-13	Min. GB/UB	CLASE UA
Resistencia a ácidos y bases / Resistance to acids and alkalis (low concentration) / Résistance aux acides (haute concentration)	ISO 10545-13	GLB/ULB	CLASE ULA
Resistencia a ácidos y bases / Resistance to acids and alkalis (high concentration) / Résistance aux acides (basse concentration)	ISO 10545-13	GHB/UHB	CLASE UHA
Resistencia a las manchas / Resistance to staining / Résistance aux taches	ISO 10545-14	Min. 3	CLASE 5

Introduce packing list



JDD Industry Co., Limited
 JDD Building No. 9
 Taobo No. 1 Road,
 Nanzhuang Huaxia Ceramic City,
 Foshan 528061, China.

info@rialto.com
 www.jdd-ceramica.com