

Advance Flooring Entrance Matting Systems with Polypropylene Insert Advance Flooring Systems

Final Assembly: Wiri, Auckland Life Expectancy: 15 Year(s)

End of Life Options: Salvageable/Reusable in its Entirety, Take Back Program (Wiri, Auckland), Recyclable (66%), Landfill (34%)

Ingredients:

Aluminium: Aluminum; Boron; Chromium, metallic; Copper; Iron; Magnesium; Manganese; Nickel (Metallic); Silicon; Titanium; Zinc; **Bross FR Cord FR:** Polypropylene; Unnamed Substance; **Matfoot:** Thermoplastic Polymer; 1-Propene, polymer with ethene; **Joiner:** Silica gel, pptd., cryst.-free; Tin chloride (SnCl2); Carbon black; Zinc oxide; **Tape S411V2:** Unnamed Substance (O.16-O.22%)¹; **Glue:** 2-Propenoic acid, 2-cyano-, ethyl ester

¹LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

Living Building Challenge Criteria: Compliant

I-13 Red List:

□ LBC Red List Free

LBC Red List Approved

Declared

% Disclosed: 99.78% at 100ppm VOC Content: Not Applicable

I-10 Interior Performance: Not Applicable
I-14 Responsible Sourcing: Not Applicable

AFS-0003
EXP. 01 MAY 2022
Oxidinal local Data:

Original Issue Date: 2021