# ROOFING WITH STYLE



ROOFING | CLADDING | RAINWATER SYSTEMS





### TRUE OAK

corrugate




### TRUE OAK




In an industry starved of innovation, Roofing Industries has brought to the market a distinct change in roofscapes by manufacturing and supplying a series of bolder and character filled corrugated roofing and cladding products which are aesthetically appealing and strikingly different than traditional shallow corrugate profiles.

Designed to stimulate the imagination whilst providing practical solutions, the revolutionary True Oak® Corrugate and True Oak® Deep products are bolder, fuller, deeper, more shapely and reflect the original 19th century Walker's Gospel Oak Corrugate. Benefits including a lower minimum roof pitch capability, greater spanning, less visible "lap lines" and reduced risk of foot traffic damage. The True Oak® Deep profile also replicates and replaces the fibre-cement products of yesteryear. Supplied in a wide selection of metal substrates with the additional option of Colorsteel® and Colorcote® surface finishes, True Oak® Corrugates should be the first choice for many residential and commercial projects.



► SPECIFICATIONS		
Sheet width: 820 mm	Sheet coverage: 760 mm	
Sheet length: Any length (Subject to transportation)	Minimum pitch: 4° (Subject to design criteria)	



All measurements are in millimetres.

► SPECIFICATIONS	
Sheet width: 1040 mm	Sheet coverage: 915 mm
Sheet length: Any length (Subject to transportation)	Minimum pitch: 3° (Subject to design criteria)




#### CORRUGATE



#### Corrugate remains an ageless icon, and as a cost competitive and trend setting roofing and cladding material, continues to gain in popularity.

Corrugate offers a stylish alternative to today's building designers and home owners alike, allowing creative flair and individuality during the design process. Product capability along with a little imagination will ensure a distinct point of difference to other homes in the vicinity. Choose from unpainted Zincalume®, Natural Zinc, Galvanised, Zinc Magnesium Alloy, Aluminium, Copper, Stainless Steel or an extensive range of Colorcote® and Colorsteel® prepainted modern roof finishes meeting individual requirements.

#### CORRUGATE




All measurements are in millimetres.

► SPECIFICATIONS		
Sheet width: 845 mm	Sheet coverage: 762 mm	
Sheet length: Any length	Minimum pitch: 8°	
(Subject to transportation)	(Subject to design criteria)	

### **SLIMLINE®**

Mini Corrugate



A miniature version of traditional corrugated roofing and cladding, Slimline® Mini Corrugate offers designers, builders, signwriters and home owners alike, a unique and decorative alternative with the range of end uses only limited by the imagination.

Although not suitable for use as a trafficable roofing product, when coupled with a range of substrate materials Colorcote® and Colorsteel® surface finishes and perforated options, Slimline® Mini Corrugate provides design flexibility and practicality as a modern architectural product.




All measurements are in mm and are nominal





### **► EUROSTYLE™**

epic<sup>™</sup> spanlok<sup>™</sup> eurolok<sup>™</sup>




With the architectural world continuously searching for the very latest in new products, design inspiration, and sound engineering practice, Roofing Industries is pleased to bring to the New Zealand market a revolutionary series of European inspired roofing, wall panelling and soffit panels all manufactured using the very latest advances in German technology.

Positioned at the forefront of building design and the construction industry, Eurostyle™ is an elite roofing and walling system and will most certainly stretch the boundaries by offering building designers, elegance, style, design flexibility, sustainability and extensive material choice.

To complement your project, Eurostyle is manufactured utilising a wide selection of materials and surface finishes including, unpainted Zincalume®, Natural Zinc, Galvanised, Zinc Magnesium Alloy, Aluminium, Copper, Stainless Steel or an extensive range of Colorcote® and Colorsteel® prepainted modern roof finishes meeting individual requirements.

\* 10 epic,™ spanlok™ and eurolok™ profile shape variations available to meet most design aspirations







#### **■ SPECIFICATIONS**

Rib height: 24 mm to 50 mm profile dependant

Sheet length: Any length (Subject to transportation)

Minimum pitch: 4° (Subject to design criteria)




### MULTIDEK®



An extremely popular residential roofing and cladding product exhibiting clean European lines, architectural flexibility and impressive strength. When coupled with the products unique hidden clip fastening system (no penetration of the metal substrate), why would you not consider Multidek® as a logical and attractive alternative.

Multidek's high rib design also provides excellent water carrying capacity and is particularly suitable for high rainfall areas. Choose from unpainted Zincalume®, Natural Zinc, Galvanised, Zinc Magnesium Alloy, Aluminium, Copper, Stainless Steel or an extensive range of Colorcote® and Colorsteel® prepainted modern roof finishes meeting individual requirements.



SPECIFICATIONS		
Sheet width:	520 mm	Sheet coverage: 500 mm
Sheet length: (Subject to transpo	, 0	Minimum pitch: 3° (Subject to design criteria)
SPAN TABLE	S (Steel Substrate Material)	
Type of Span	Maximum Span (Metres)	Maximum Span (Metres)
	.48 mm BMT	.55 mm BMT
Intermediate	1.600	2.500
End	1.100	1.600
Note: Maximum design load 2.0kPa		

Variations to spans is available from the Profile Technical Statement - www.roof.co.nz





### **TRIMRIB®**



## Utilising the very latest in rollforming technology, Trimrib® can be manufactured as either Trimrib® (S) single swage Trimrib® (TS) twin swage, or Trimrib® (V) two "V" swages.


Each profile is aesthetically pleasing, having been designed with modern building style in mind and creating contrasts of light and shade in straight lines. Trimrib® enables rapid water shedding from the roof with a low minimum pitch requirement of 3 degrees and when coupled with or without one of the prepainted surface finishes, Trimrib® ensures the completed project provides purpose and visual appeal. Choose from unpainted Zincalume®, Natural Zinc, Galvanised, Zinc Magnesium Alloy, Aluminium, Copper, Stainless Steel or an extensive range of Colorcote® and Colorsteel® prepainted modern roof colours.

#### **■ SPECIFICATIONS**

Sheet width: 820 mm Sheet length: Any length (Subject to transportation) Sheet coverage: 760 mm Minimum pitch: 3° (Subject to design criteria)



#### TRIMRIB® (TS)



#### TRIMRIB® (V)



#### TRIMRIB® (S)



All measurements are in millimetres

Trimrib® (\$) and Trimrib® (TS) Manufactured or supplied in all national locations.

Trimrib® (V) Manufactured in Taupo – additional freight may be applicable outside of these areas.

### **EZI-FLO**™ Rainwater Systems

Simply select a rainwater product, along with one of the wide range of substrates and coloured surface finishes, in order to complete and enhance your project.

#### Spouting, Gutters, Downpipes & Fascia
























#### R.I. 125 mm **Box Gutter**

The R.I. 125 Box Gutter is designed to perform where heavy rainfall Intensity may occur. A higher face prevents unsightly views of the end of the roofing sheet, particularly on higher ribbed profiles.

#### **Quarter Round**

Quarter Round Spouting maintains its traditional appeal, and provides simplicity and classic lines for use in most residential applications. Supplied with internal or external colour matched brackets.

#### 1/2 Round

An aesthetically pleasing spouting product. 1/2 Round in both traditional and flat back will certainly enhance the overall appeal of your home. Supplied with external or internal brackets depending on profile.

#### **Old Gothic**

Old Gothic, which is available in two sizes, is reminiscent of the spouting types used on colonial homes. Old Gothic is supplied with internal or external colour matched brackets.

#### J Line

80 mm

An extremely popular spouting system which utilises an extended sloping face to hide the end of the roofing and is particularly beneficial for use on low roofpitch residential applications. Supplied with internal brackets.

#### Multifit™ **External Fascia**

Multifit™ Fascia can be used in conjunction with a wide number of roof types by incorporating a simple attachment system. Available in Steel, Aluminium, Copper, Colorsteel®, Colorcote® and also Woodgrain finish.

#### **Downpipes**


Manufactured in 3200 mm lengths standard, or supplied in varying lengths to meet requirements.

























Coloured aluminium spouting and roof valley protection systems purposely designed for ease of installation and simple removal for cleaning. Ezi-Lok products will complement your roof and hide unsightly valleys whilst keeping leaves and birds out.





### **ROOF AND WALL** NATURAL LIGHTING

Why not utilise the knowledgeable staff at Roofing Industries to assist you in choosing the appropriate translucent and transparent products for your project.

#### Choose from:

- Polycarbonate
- Glass Reinforced Polyester
- Multiwall







E: auckland@roof.co.nz **Auckland** (Head Office) 5 John Glenn Avenue, North Harbour 0632. Ph: (09) 414 4585 Whangarei 4A Fraser Street, Whangarei 0112. Ph: (09) 437 2040 E: northland@roof.co.nz **Pukekohe** 212 Manukau Road, Pukekohe, South Auckland 2120. Ph: (09) 238 0050 E: franklin@roof.co.nz Hamilton 78 Sunshine Avenue, Te Rapa, Hamilton 3241. Ph: (07) 849 5115 E: waikato@roof.co.nz 98 Birch Avenue, Judea 3110. Ph: (07) 929 7034 E: tauranga@roof.co.nz **Tauranga Mount Maunganui** 47 Aerodrome Road, Mount Maunganui 3116. Ph: (07) 578 2650 E: tauranga@roof.co.nz Taupo 1158 Rakaunui Road, Taupo 3351. Ph: (07) 376 7971 E: taupo@roof.co.nz **Napier** 43 Ford Road, Onekawa, Napier 4110. Ph: (06) 281 2586 E: napier@roof.co.nz **New Plymouth** 14 Constance Street, Waiwhakaiho, New Plymouth. Ph: (06) 758 3003 E: taranaki@roof.co.nz **Palmerston North** 653 Tremaine Avenue, Palmerston North 4410. Ph: (06) 353 8480 E: central@roof.co.nz Wellington 22 Cornish Street, Petone 5012. Ph: (04) 238 4390 E: wellington@roof.co.nz 5 Kendrick Road, Riverlands 3110. Ph: (03) 934 5901 E: blenheim@roof.co.nz lenheim Christchurch 12 William Lewis Drive, Sockburn, Christchurch 8042. Ph: (03) 339 2324 E: christchurch@roof.co.nz Cromwel E: cromwell@roof.co.nz 29A McNulty Road. Cromwell 9342. Ph: (03) 928 6869 - visit www.roof.co.nz

#### IMPORTANT: Surface undulation "Oil Canning"

Oil canning is defined as a perceived waviness across the flat area of (in particular, but not limited to) wider metal panels. It is a naturally-occurring phenomenon and can be more discernible under shallow cross lighting, variation in light source, temperature and thermal changes. Oil canning is an aesthetic issue and not a structural problem or defect. The property owner, builder, specifier should be aware that these undulations do not affect performance.

Your distributor







