



CERTIFICATE OF CONFORMITY

This is to certify that

Dulux Group (NZ) Pty Ltd Dulux Acratex Exsulite Cladding System



Product Description

Dulux Acratex Exsulite Cladding System is an exterior insulated finishing system comprising expanded polystyrene to form a cavity and coated with a cement based plaster.

Models:

- Dulux Acratex Exsulite EIFS Cladding System.
- Dulux Acratex Exsulite Kooltherm K5 Cladding System.

Product Purpose or Use

For use as a light weight external cladding system suitable for residential and light commercial buildings where standard construction techniques are to be used.

Certificate Holder

Dulux Group (NZ) Pty Ltd
150 Hutt Park Road
Lower Hutt
Wellington 5040
New Zealand

CodeMark™ Certification Body

CertMark International Pty Ltd
T/A CertMark New Zealand
ABN: 80 111 217 568
JAS-ANZ Accreditation No. Z4450210AK
PO Box 7144, Sippy Downs Qld 4556
www.CertMark.org

Complies with the New Zealand Building Code:

1. NZBC Clause B1 Structure - B1.3.1, B1.3.2 & B1.3.4.
2. NZBC Clause B2 Durability - B2.3.1 (b).
3. NZBC Clause C3 Protection from Fire - C3.4 (a) Walls, C3.5 Spread of Fire, C3.6 (buildings within one meter of a shared boundary).
4. NZBC Clause E2 External Moisture - E2.3.2, E2.3.3, E2.3.5, (as applicable to concrete wall systems).
5. NZBC Clause F2 Hazardous Building Materials - F2.3.1.

Subject to the following Conditions & Limitations:

- a. Dulux Acratex Exsulite Cladding System must only be installed in accordance with the Dulux Acratex Exsulite Cladding System Technical Manual & Installation Guide 25 March 2013.
- b. Dulux Acratex Exsulite Kooltherm K5 Cladding System must only be installed in accordance with the Kingspan Kooltherm K5 External Wall Board Guide A4/6 K5 AW1760 Issue 2 Jul 2014.
- c. All joinery used in conjunction with the Dulux Acratex Exsulite Cladding System must meet the requirements of NZS 4211:2008.
- d. The Dulux Exsulite System is considered to meet the performance requirements of NZBC:C3.3.5 for use as an external wall cladding however it is restricted to:
 - Single storey buildings 1m or more from the boundary for all purpose groups.
 - Buildings up to 7m high, 1m or more from the boundary, for all purpose groups other than SC.
- e. This certification relates only to the clauses of the NZBC as contained herein. Consequently any clause(s) not included on this certificate are outside the scope of this Certificate.
- f. This certification relates only to the product that is described above, and has to be read, considered and used as a whole document — it may be considered misleading and will be incomplete to be selective.
- g. For further information contact the certificate holder

John Thorpe
CertMark International Pty Ltd

24/09/2013

Date of Issue

CMA-CM40069 (Rev2)

Certificate Number
Revision February 2015

- This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation & Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms to the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the MBIE website, www.mbie.govt.nz
- This certificate may only be reproduced in its entirety .

