Pacific Doors

Pacific Hospital Doorset

DESCRIPTION

The Pacific hospital door set includes features designed to increase impact resistance and durability in high-use situations.

For further information on this product, visit:

https://www.pacificdoors.co.nz/products/hospital/pacific-hospital-doorset

PRODUCT FEATURES

- Single or pair ٠
- 9 leaf facing options •
- Pre-hung steel frame .
- 10 frame options •
- Compatible with all frame types ٠
- Suitable for interior only •
- Optional vision panel .

Our hospital doors are now available on masterspec.

PRODUCT OPTIONS

Leaf Type

Core: Solid Core

Capping: Pacific anodised aluminium extrusion capping to vertical edges.

Facings: High Pressure Laminate (e.g. Formica or HPL) or sheet Vinyl (preferably flooring grade) over Medium Density Fibreboard.

Leaf Thickness: Nominal 47mm thick.

Leaf Sizes: The Hospital door set is available for manufacture to any practical size to suit client requirements. Thought should be given to the available sizes of leaf facings so that there are no visible joins, and so that the structural integrity of the door is not compromised.

Leaf Facings

The facings listed below are available for the Pacific Hospital door set

- MDF •
- Oil Tempered Hardboard •
- Hardboard



www.pacificdoors.co.nz

6/27/25 Issue date: Page

1 of 3

Data Sheet



- Plywood
- Timber Veneers
- Metal Sheet, mild or stainless (0.6 1.0mm)
- Aluminium Sheet (0.3 1.0mm)
- High Pressure Laminate up to 1.5mm thick (eg: Laminex, Formica)
- Sheet Vinyl (1.25 2mm)

Leaf Edges

The Pacific Hospital door set includes aluminium extrusion capping to the two long edges. Standard finish is natural anodized (silver). Other leaf edges are available upon request.



Pre Eased Ali


FRAME TYPES & PROFILES

Timber Frame

The standard hospital door set is prehung in a steel frame; however, timber frame profiles are available upon request.

Steel Frame

The steel frame profiles listed below are available for the Pacific Hospital door set:




Standard frames are three-sided only, with no sill. Four-sided frames and/or custom sills may be available on request. For more in-depth information on frame profiles and sizes, please see our Installation Instructions.

Data Sheet



Meeting Stiles

The meeting stiles listed below are applicable to paired door sets only.



Hardware

There are no hardware limitations for the Hospital door set; however, consideration should always be given to fitness for purpose.

PRODUCT OPTIONAL EXTRAS

Vision Panels

Vision panels for the Hospital door set are available with anodised aluminium the standard beading, and can be of any practical size within the door leaf provided that there is a minimum 150mm perimeter rail as shown below.

Vision panels are available double-glazed with integral venetian blinds including a controller fitted into the door face.

Glazing can be of any type to suit your requirement.

