

# Pacific SPS2 Grille Door Set

Issue date: 6/30/25

Page 1 of 4

## DESCRIPTION

The Pacific SPS2 Grille door set consists of an all-steel welded door leaf including steel plate or bar configurations, hung in a solid steel frame.

### Product features:

- Single or pair
- Compatible with masonry wall
- All steel welded leaf

### Typical applications:

- Corridor or pass door
- Institutional gate

### For further information on this product, visit:

<https://www.pacificdoors.co.nz/products/security/custodial-doors/sps2>

## PRODUCT OPTIONS

### Leaf size and wall type


#### Leaf size

The thickness of the SPS2 door leaf is 50 mm and it has an approximate leaf weight of 45kg/m2.

Wall Type	Fire Resistance Rating (FFR)	Door Application	Max Leaf Height (mm)	Max Leaf Width (mm)
Masonry	N/A	Single	3000	2000
		Pair	3000	2000

#### Notes:

1. Please note that the maximum leaf width shown above is measured per door leaf.



## WALL TYPES

Angle frame may be fixed via the reveal and /or the inner flange depending on the wall construction available.


## Door Leaf Options

### Leaf Facings

All steel welded leaf of steel bar and plate.


### Leaf Edges

The SPS2 has a leaf edge as shown below.



### Meeting Stiles

The meeting stiles listed below are applicable to paired door sets only.



## Frame Types and Profiles

### Timber Frame

This door set is only available in a steel frame.

## Steel Frame

Rolled mild steel angle 100x75x6mm with stop 25mm. The door leaf may also be hung in a folded 2mm steel frame if required.

Standard frames are three-sided only with no sill. Four-sided frames and/or custom sills may be available on request. For more in-depth information on frame profiles and sizes, please see our Installation Instructions.

## Vision Panel

Not applicable for this door set.