

# **Pacific Doors**

**Data Sheet** 

www.pacificdoors.co.nz

Issue date: 7/3/2025

Page 1 of 2

# **Pacific XT Exterior Doorset**

### **DESCRIPTION**

This exterior doorset features a solid LVL core and marine grade plywood facing. It includes various glass insert options and bespoke designs. The door is sealer coated and ready for priming and painting. It is supplied as a complete set with or without hardware.

# For further information on this product, visit:

https://www.pacificdoors.co.nz/products/commercial/hs-exterior-core-door

### **PRODUCT OPTIONS**

### **Leaf Type**

# Core

Solid laminated veneer lumber.

### Clashing

Paint Quality doors are clashed as standard.

# **Facings**

Marine grade plywood.

#### **Thickness**

This door leaf is available as 44mm thick.

#### **Leaf Sizes**

Leaf sizes up to 2440 high x 1220 wide per leaf.

## **Leaf Facings**

The facings listed below are available for the door set:

- Paint quality factory sealed
- 1 mm galvanised steel facings with aluminium edge capping
- 1 mm stainless steel kickplate to 1000 mm interior side only
- Steel clad and capped

# **Data Sheet**



## **Leaf Edges**

# **Leaf Edges**

The leaf edges listed below are available for the Solid Core door set:

- 7 mm hardwood clashing to hinge edge
- 7 mm hardwood clashing to leading edge of singles
- Steel claded


# **Meeting Stiles**

- 18 mm hardwood clashing to leading edge of rebated pairs
- 7 mm hardwood clashing to hinge edge
- Steel claded
- Bullnose C/C
- Bullnose J/J

# **Frame Types & Profiles**


## **Timber Frame**

The timber frame profiles listed below are available for the TB door set



### **Steel Frame**

The steel frame profiles listed below are available for the TB door set



Standard frames are three-sided only with no sill. Four-sided frames and/or custom sills may be available on request. For more in depth information on frame profiles and sizes, please see our Installation Instructions.


# **Data Sheet**



### **Vision Panels**

Vision panels for the XT door set are available with timber bead, and can be of any practical size within the door leaf provided that there is a minimum 150mm perimeter rail as shown below.

Glazing can be of any type to suit your requirement.



# **Hardware**

There are no hardware limitations for the Solid Core door set, however consideration should always be given to fitness for purpose.

Concealed hinges are not an option on this doorset.