02/11/2026

Data Sheet

Pacific SPS2 Grille Door Set

Description

The Pacific SPS2 Grille door set consists of an all-steel welded door leaf including steel plate or bar configurations, hung in a solid steel frame.

Product features:

- Single or pair
- Compatible with masonry wall
- All steel welded leaf

Typical applications:

- Corridor or pass door
- Institutional gate

For further information on this product, visit:
https://www.pacificdoors.co.nz/products/security/custodial-doors/sps2

Product options

Leaf size and wall type


Leaf size
The thickness of the SPS2 door leaf is 50 mm and it has an approximate leaf weight of 45kg/m2.

Wall Type	Fire Resistance Rating (FFR)	Door Application	Max Leaf Height (mm)	Max Leaf Width (mm)
Masonry	N/A	Single	3000	2000
		Pair	3000	2000

Notes:

1. Please note that the maximum leaf width shown above is measured per door leaf.

Public




Wall types
Angle frame may be fixed via the reveal and /or the inner flange depending on the wall construction available.


Door Leaf Options

Leaf Facings
All steel welded leaf of steel bar and plate.

Leaf Edges
The SPS2 has a leaf edge as shown below.


SPS2 Leaf Edge

Meeting Stiles
The meeting stiles listed below are applicable to paired door sets only.


SPS2 Flat Bar

Public

Frame Types and Profiles

Timber Frame
This door set is only available in a steel frame.

Steel Frame
Rolled mild steel angle 100x75x6mm with stop 25mm. The door leaf may also be hung in a folded 2mm steel frame if required.

Standard frames are three-sided only with no sill. Four-sided frames and/or custom sills may be available on request. For more in-depth information on frame profiles and sizes, please see our Installation Instructions.

Vision Panel
Not applicable for this door set.

Public