




RAUPIANO PLUS

THE VERSATILE ACOUSTIC DRAINAGE SYSTEM
PRODUCT BOOK

RAUPIANO PLUS ACOUSTIC DRAINAGE SYSTEM



FEATURES:

- Multi-layer pipe system:
 - Smooth yet abrasion-resistant inner layer made of PP
 - Rigid middle layer made of PP with sound-dampening minerals
 - Impact resistance and UV-stabilized outer layer made of PP
- Optimized mass-concentration for bend fittings to minimise fluid impact noise
- Patented sound-dampening brackets to minimise structural-borne sound transmission
- Built-in push-fit socket with factory-fitted sealing ring providing flexible and vibration-resistant joints
- Temperature resistance up to 95°C
- Chemical resistance from pH 2 – 12
- High ring stiffness
- 100% recyclable

RAUPIANO PLUS represents the smart and versatile acoustic drainage system that provides optimum comfort without compromise. The polypropylene-based drainage system is suitable in a wide range of building types, from comfortable homes, modern hospitals, and hectic commercial kitchens to contemporary skyscrapers.




Its multi-layer pipe construction increases the pipe rigidity and enhances the sound insulation properties. The smooth yet abrasion-resistant inner layer optimizes the flow, while the impact-resistant outer layer provides robustness for handling on construction sites. Not only built with excellent quality the RAUPIANO PLUS system contains no toxic materials and is 100% recyclable.

RAUPIANO PLUS' excellent properties and complete product range allows you to fulfil the futures' requirements today.

ADVANTAGES:

- State-of-the-art sound insulation technologies, no acoustic-lagging required
- Suitable for special applications requiring high temperature and chemical resistance such as trade waste
- Green system due to low energy production and 100% recyclability
- Simple and fast installation
- No special provision required to accommodate thermal expansion
- Robust for transportation and handling at construction sites
- 100% leak-proof connection
- Flexible joint suitable for tremor-prone areas
- Uncompromising fire-protection solutions available


TABLE OF CONTENTS



	Page
1. PIPES.....	4
2. FITTINGS.....	6
3. ACCESSORIES.....	15
4. ORDER CHECKLIST	20

1. PIPES

Pipes
With push-fit socket and rubber sealing ring
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)




Article	REECE Codes	DN/OD in mm	e	Length BL	Unit
123004	-	40	1.8	150	piece
123014	1450819	40	1.8	250	piece
123024	1450820	40	1.8	500	piece
123034	1450821	40	1.8	1000	piece
123044	-	40	1.8	2000	piece
123054	1450823	40	1.8	3000	piece
120094	-	50	1.8	150	piece
120104	1450825	50	1.8	250	piece
120114	1450826	50	1.8	500	piece
120124	-	50	1.8	750	piece
120134	1450828	50	1.8	1000	piece
120144	-	50	1.8	1500	piece
120154	-	50	1.8	2000	piece
120934	1450831	50	1.8	3000	piece
120174	-	75	1.9	150	piece
120184	1450833	75	1.9	250	piece
120194	1450834	75	1.9	500	piece
120204	-	75	1.9	750	piece
120214	1450836	75	1.9	1000	piece
120224	-	75	1.9	1500	piece
120234	-	75	1.9	2000	piece
120944	1450839	75	1.9	3000	piece
123984	-	90	2.2	150	piece
123184	-	90	2.2	250	piece
123194	-	90	2.2	500	piece
123204	-	90	2.2	1000	piece
123994	-	90	2.2	1500	piece
123214	-	90	2.2	2000	piece
123224	-	90	2.2	3000	piece
120254	-	110	2.7	150	piece
120264	1450848	110	2.7	250	piece
120274	1450849	110	2.7	500	piece
120284	-	110	2.7	750	piece
120294	1450851	110	2.7	1000	piece
120304	-	110	2.7	1500	piece
120314	-	110	2.7	2000	piece

Article	REECE Codes	DN/OD in mm	e	Length	Unit
120324	1450854	110	2.7	3000	piece
120654	-	125	3.1	150	piece
120664	-	125	3.1	250	piece
120674	-	125	3.1	500	piece
120684	-	125	3.1	750	piece
120694	-	125	3.1	1000	piece
120704	-	125	3.1	1500	piece
120714	-	125	3.1	2000	piece
120724	-	125	3.1	3000	piece
122954	1450863	160	3.9	500	piece
121664	1450864	160	3.9	1000	piece
121674	-	160	3.9	2000	piece
121684	1450866	160	3.9	3000	piece
123015	-	200	6.2	1000	piece
123025	-	200	6.2	2000	piece
123035	-	200	6.2	3000	piece

2. FITTINGS


Bend
With rubber sealing ring
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)



Article	REECE Codes	DN in mm	Angle ∞	Z ₁	Z ₂	Unit
123064	1450724	40	15°	5	8	piece
123074	1450725	40	30°	7	11	piece
123084	1450726	40	45°	10	14	piece
100504 ⁽¹⁾	1450727	40	87°	23	26	piece
121094	1450728	50	15°	5	9	piece
121104	1450729	50	30°	9	12	piece
121114	1450730	50	45°	12	16	piece
121124	-	50	67°	20	23	piece
100506 ⁽¹⁾	1450732	50	87°	28	31	piece
121144	1450733	75	15°	7	11	piece
121154	1450734	75	30°	12	15	piece
121164	1450735	75	45°	20	21	piece
121174	-	75	67°	28	31	piece
100507 ⁽¹⁾	1450737	75	87°	40	43	piece
123384	-	90	15°	7	12	piece
123394	-	90	30°	14	18	piece
123404	-	90	45°	21	25	piece
100515 ⁽¹⁾	-	90	87°	48	52	piece
123424	1450710	110	15°	9	14	piece
123434	1450711	110	30°	17	21	piece
123444	1450712	110	45°	25	29	piece
123454	-	110	67°	40	44	piece
100534 ⁽¹⁾	1450714	110	87°	57	61	piece
123474	-	125	15°	10	15	piece
123484	-	125	30°	19	23	piece
123494	-	125	45°	28	33	piece
123504	-	125	67°	46	50	piece
123514 ⁽¹⁾	-	125	87°	65	70	piece
124028	1450720	160	45°	38	42	piece
100564 ⁽¹⁾	1450721	160	87°	87	87	piece
123654	-	200	45°	46	63	piece
123664 ⁽¹⁾	-	200	87°	105	122	piece

Note: ⁽¹⁾ Swept bend

Single Branch
With rubber sealing ring
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)




Article	REECE Codes	DN in mm	Angle ∞	Z ₁	Z ₂	Z ₃	Unit
123104	1450902	40/40	45°	10	49	49	piece
123114	1450903	40/40	87°	23	25	25	piece
121234	1450904	50/50	45°	12	61	61	piece
121254	1450905	50/50	87°	28	30	30	piece
121264	1450906	75/50	45°	-1	79	74	piece
121284	1450907	75/50	87°	27	43	31	piece
121294	1450908	75/75	45°	18	91	91	piece
121544	1450909	75/75	87°	40	43	43	piece
123274	-	90/50	45°	-8	90	83	piece
123284	-	90/50	87°	28	50	32	piece
123834	-	90/75	45°	11	102	100	piece
123844	-	90/75	87°	41	51	44	piece
123294	-	90/90	45°	21	110	110	piece
123304 ⁽¹⁾	-	90/90	87°	56	70	51	piece
121304	1450916	110/50	45°	-17	104	91	piece
121324	1450917	110/50	87°	28	60	32	piece
121334	1450918	110/75	45°	1	116	109	piece
121344	1450919	110/75	87°	40	60	45	piece
122984	1450920	110/110	45°	25	134	134	piece
123005 ⁽¹⁾	1450921	110/110	87°	73	78	58	piece
120574	-	125/110	45°	18	144	141	piece
120594	-	125/110	87°	58	69	63	piece
120584	-	125/125	45°	28	152	152	piece
120604	-	125/125	87°	65	70	70	piece
124037	1450926	160/110	45°	36	169	197	piece
121744	1450927	160/110	87°	105	140	70	piece
121754	-	160/125	45°	12	176	169	piece
121764	-	160/125	87°	66	87	71	piece
124038	1450930	160/160	45°	36	197	197	piece
124058	1450931	160/160	87°	83	89	89	piece
123964	-	200/160	45°	47	245	255	piece
123704	-	200/160	87°	154	200	145	piece
123964	-	200/200	45°	47	255	255	piece

Note: ⁽¹⁾ Swept angle


2. FITTINGS

Double Branch
With rubber sealing rings
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)




Article	REECE Codes	DN in mm	Angle	Z ₁	Z ₂	Z ₃	Unit
123714	-	90/90/90	87°	56	70	51	piece
122964	1450756	110/110/110	45°	25	134	134	piece
121554	1450757	110/110/110	87°	57	62	62	piece
123594	-	125/110/110	45°	18	144	141	piece
123674	1450759	160/110/110	45°	1	168	159	piece
123684	-	160/110/110	87°	58	86	64	piece

Corner Double Branch
With rubber sealing rings
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)




Article	REECE Codes	DN in mm	Angle	Z ₁	Z ₁	Z ₁	Unit
123724	-	90/90/90	87°	56	70	66	piece
121564	-	110/110/110	87°	57	62	62	piece

Shaft Branch Right
With rubber sealing rings
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)




Article	REECE Codes	DN in mm	Angle	Z ₁	Z ₂	Z ₃	Z ₄	Unit
123045	-	90/75/90	87°	56	70	51	46	piece
123761	-	110/75/110	87°	57	62	62	63	piece

Shaft Branch Left
With rubber sealing rings
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)



Article	REECE Codes	DN in mm	Angle	Z ₁	Z ₂	Z ₃	Z ₄	Unit
123055	-	90/75/90	87°	56	70	51	46	piece
123771	-	110/75/110	87°	57	62	62	63	piece

Parallel Branch
With rubber sealing rings
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)



Article	REECE Codes	DN in mm	Z ₁	Z ₂	Z ₃	Z ₄	Unit
123734	-	90/90	21	110	125	108	piece
120564	-	110/110	25	134	149	118	piece


Deflection Bend (45° and 87°)
With built-in push-fit socket and factory pre-assembled rubber sealing ring
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)



Article	REECE Codes	DN in mm	Angle	Z ₁	Z ₂	Unit
123056	1450762	75	45°	47	206	piece
123057	-	90	45°	56	210	piece
123058	1450766	110	45°	69	217	piece
123075	1450763	75	87°	47	204	piece
123085	-	90	87°	56	212	piece
123095	1450767	110	87°	69	226	piece


2. FITTINGS

Reducer
With rubber sealing ring
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)




Article	REECE Codes	DN in mm	Z ₁	Unit
123124	1450871	50/40	12	piece
121384	1450872	75/50	20	piece
123314	-	90/50	29	piece
123324	-	90/75	15	piece
121394	1450875	110/50	40	piece
121404	1450876	110/75	26	piece
121994	-	110/90	20	piece
120614	-	125/110	15	piece
124039	1450879	160/110	33	piece
121804	-	160/125	27	piece
123764	-	200/160	40	piece

PVC Adaptor
Material: PVC
Colour: white




Article	REECE Codes	DN in mm	Unit
123009	1450706	40/43	piece
121012	1450707	50/52	piece
121016	1450708	75/69	piece
121017	-	90/82	piece

Connection Pipe
For connection to other pipe materials. To be used together with rubber nipple
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)




Article	REECE Codes	DN in mm	Metal pipe outer d _m	d _e	d _i	L	Unit
123164	1450752	40/40-30	32 - 40	40	53.7	63	piece
121414	1450753	50/40-30	32 - 40	50	53.7	61	piece
121424	1450754	50/50	47 - 50	50	67.2	50	piece

Connection Bend
For connection to other pipe materials. To be used together with rubber nipple
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)



Article	REECE Codes	DN in mm	Metal pipe outer d _m	d _e	d _i	a	b	Unit
123174	-	40/40-30	32 - 40	40	53.7	49	88	piece
122694	-	50/40-30	32 - 40	50	53.7	55	90	piece
121444	-	50/50	47 - 50	50	67.2	55	96	piece


Socket Plug
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)



Article	REECE Codes	DN in mm	L	d _e	Unit
123134	1450943	40	33	40	piece
121454	1450944	50	34	50	piece
121464	1450945	75	35	75	piece
123334	-	90	37	90	piece
121474	1450947	110	37	110	piece
120624	-	125	40	125	piece
123774	1450949	160	49	160	piece
123974	-	200	59	200	piece


2. FITTINGS

Double Socket
With rubber sealing rings
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)




Article	REECE Codes	DN in mm	L	Unit
123144	1450768	40	89	piece
121484	1450769	50	93	piece
121584	1450770	75	111	piece
123344	-	90	107	piece
121494	1450772	110	128	piece
120474	-	125	142	piece
124047	1450774	160	148	piece
123784	-	200	206	piece

Slip-on Socket
With rubber sealing rings
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)




Article	REECE Codes	DN in mm	L	Unit
123154	1450935	40	89	piece
121504	1450936	50	93	piece
121574	1450937	75	111	piece
123354	-	90	107	piece
121514	1450939	110	128	piece
120464	-	125	142	piece
124048	1450941	160	148	piece
123794	-	200	206	piece

I.O. Access Pipe
With surface-flushing insert and screwed cap and rubber sealing ring
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)




Article	REECE Codes	DN in mm	Z ₁	Z ₃	Unit
121235	1450805	50	28	30	piece
121524	1450806	75	40	43	piece
123364	-	90	57	64	piece
121534	1450808	110	57	62	piece
120634	-	125	70	73	piece
124049	1450810	160	83	89	piece

Long Socket
With rubber sealing ring
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)



Article	REECE Codes	DN in mm	L	Unit
123374	-	90	120	piece
121594	1450812	110	130	piece


Closet Bend
With lip sealing ring
Material: RAU-PP (mineral reinforced)
Colour: white



Article	REECE Codes	DN in mm	a	b	Unit
122924	-	90/90°	400	340	piece
121604	-	110/22°	165	150	piece
121614	-	110/45°	205	135	piece
121624	1450744	110/90°	230	160	piece


2. FITTINGS

Closet Connection
With lip sealing ring
Material: RAU-PP
Colour: white




Article	REECE Codes	DN in mm	Length L	Unit
122934	-	90	250	piece
121634	1450746	110	150	piece
121644	1450747	110	250	piece

P-trap siphon
To be used together with DN 110 bend 45°. With rubber sealing ring



Article	REECE Codes	DN in mm	a	b	c	Unit
123039	1450870	110	-	-	-	piece

Floor Gully
With 3x DN 50 inlets + DN75 outlet. DN50 inlets require DN50 double socket
art. # 121484-001
Material: RAU-PP (mineral reinforced)
Colour: white (similar to RAL 9003)



Article	REECE Codes	DN in mm	Z ₁	Z ₂	Z ₃	Unit
100391	-	50/50/50/75	175	87	67	piece

3. ACCESSORIES

Sound-dampening Support Bracket
Consisting of supporting and fastening clamp incl. headless screw
Material: galvanised strip steel



Article	REECE Codes	DN in mm	Unit
122004	1450954	75	piece
122044	-	90	piece
122014	1450956	110	piece
122024	-	125	piece
122034	1450958	160	piece
123924	-	200	piece

Fixing/Security Clamp
With rubber lining
Material: galvanised strip steel



Article	REECE Codes	DN in mm	Unit
122644	-	40	piece
120504	-	50	piece
120514	-	75	piece
122054	-	90	piece
120524	-	110	piece
120804	-	125	piece
121844	-	160	piece
123934	-	200	piece

3. ACCESSORIES

Guiding Clamp
With rubber lining and distance piece
Material: galvanised strip steel



Article	REECE Codes	DN in mm	Unit
122654	-	40	piece
120534	-	50	piece
120544	-	75	piece
122064	-	90	piece
120554	-	110	piece
120814	-	125	piece
121854	-	160	piece
123944	-	200	piece

Headless Screw
For fastening/guiding clamp

Article	REECE Codes	DN in mm	Unit
121074	-	M 8	piece
121084	-	M 10	piece

REHAU Fireproofing Collar Compact
For installation on the ceiling/wall
Material: steel sheet
Colour: white

Article	REECE Codes	DN in mm	d ₁	d ₂	h ₁	Unit
122104	-	50	75	63	30	piece
122114	-	75	109	88	30	piece
122124	-	90	135	103	30	piece
122134	-	110	155	123	30	piece
122134	-	125	170	138	30	piece





Rehau Fireproofing Collar Plus
For flush mounting in the ceiling/wall or surface mounting on the ceiling/wall
Material: steel sheet
Colour: white

Article	REECE Codes	DN in mm	d ₁	d ₂	h ₁	h ₂	Unit
121894	-	40 - 50	68	57	50	15-35	piece
121904	-	75	99	82	50	15-35	piece
121914	-	90	118	97	70	25-45	piece
121924	-	110	139	117	70	25-45	piece
121934	-	125	161	132	70	25-45	piece
121944	-	160	198	167	110	45-65	piece
121008	-	200	247	207	120	50-70	piece


Rehau Angled Fireproofing Collar
For installation on the ceiling for angled penetrations
Material: steel sheet
Colour: white

Article	REECE Codes	DN in mm	d ₁	d ₂	d ₃	Unit
120834	-	75	191	121	30	piece
120874	-	90	216	136	42	piece
120844	-	110	236	156	42	piece
120854	-	125	264	184	42	piece




3. ACCESSORIES

Rubber Sealing Ring
For pipes and fittings
Material: rubber
Colour: black




Article	REECE Codes	DN in mm	Unit
128243	1450887	40	piece
128013	1450888	50	piece
128023	1450889	75	piece
128003	-	90	piece
128033	1450891	110	piece
128043	-	125	piece
128053	1450893	160	piece

Rubber Nipple
For connection piece and siphon angle
Material: rubber
Colour: black




Article	REECE Codes	DN in mm	da	Unit
126253	1450882	50/40	55	piece
121913	1450883	50/50	68	piece

Rubber Nipple with Bead
For connection to other pipe materials. To replace the pre-assembled rubber sealing ring in RAUPIANO PLUS pipes or fittings.
Material: rubber
Colour: black




Article	REECE Codes	DN in mm	da	di	Unit
122923	1450884	40/30	40.5	32	piece
122933	1450885	50/30	50.5	32	piece
122943	1450886	50/40	50.5	40	piece

Rubber Sleeve Adaptor
For connection to different diameters
Material: rubber
Colour: black



Article	REECE Codes	DN in mm	Unit
125024	1450894	50/53-63	piece
125034	1450895	75/75-89	piece
123904	-	110/90	piece
123914	1450897	110/110	piece

Securing Clip
For securing the socket plug
Material: Galvanized steel
Colour: Silver



Article	REECE Codes	DN in mm	Unit
123000	1450951	110	piece
123002	1450952	160	piece
123006	-	200	piece

Lubricant
For push-fit connections



Article	REECE Codes	DN in mm	Unit
128933	1450813	150 g	piece
128943	1450814	250 g	piece
128953	1450815	500 g	piece

4. ORDER CHECKLIST


Article	Product	REECE codes	Quantity	Price
PIPES				
Pipes				
123004	40 - 150	-		
123014	40 - 250	1450819		
123024	40 - 500	1450820		
123034	40 - 1000	1450821		
123044	40 - 2000	-		
123054	40 - 3000	1450823		
120094	50 - 150	-		
120104	50 - 250	1450825		
120114	50 - 500	1450826		
120124	50 - 750	-		
120134	50 - 1000	1450828		
120144	50 - 1500	-		
120154	50 - 2000	-		
120934	50 - 3000	1450831		
120174	75 - 150	-		
120184	75 - 250	1450833		
120194	75 - 500	1450834		
120204	75 - 750	-		
120214	75 - 1000	1450836		
120224	75 - 1500	-		
120234	75 - 2000	-		
120944	75 - 3000	1450839		
123984	90 - 150	-		
123184	90 - 250	-		
123194	90 - 500	-		
123204	90 - 1000	-		
123994	90 - 1500	-		
123214	90 - 2000	-		
123224	90 - 3000	-		
120254	110 - 150	-		
120264	110 - 250	1450848		
120274	110 - 500	1450849		
120284	110 - 750	-		
120294	110 - 1000	1450851		
120304	110 - 1500	-		
120314	110 - 2000	-		
120324	110 - 3000	1450854		
120654	125 - 150	-		
120664	125 - 250	-		
120674	125 - 500	-		
120684	125 - 750	-		
120694	125 - 1000	-		
120704	125 - 1500	-		
120714	125 - 2000	-		
120724	125 - 3000	-		
122954	160 - 500	1450863		
121664	160 - 1000	1450864		
121674	160 - 2000	-		
121684	160 - 3000	1450866		
123015	200 - 1000	-		
123025	200 - 2000	-		
123035	200 - 3000	-		







Article	Product	REECE codes	Quantity	Price
FITTINGS				
Bend				
123064	40 - 15°	1450724		
123074	40 - 30°	1450725		
123084	40 - 45°	1450726		
123094	40 - 87°	1450727		
121094	50 - 15°	1450728		
121104	50 - 30°	1450729		
121114	50 - 45°	1450730		
121124	50 - 67°	-		
121134	50 - 87°	1450732		
121144	75 - 15°	1450733		
121154	75 - 30°	1450734		
121164	75 - 45°	1450735		
121174	75 - 67°	-		
121184	75 - 87°	1450737		
123384	90 - 15°	-		
123394	90 - 30°	-		
123404	90 - 45°	-		
123414	90 - 87°	-		
123424	110 - 15°	1450710		
123434	110 - 30°	1450711		
123444	110 - 45°	1450712		
123454	110 - 67°	-		
123464	110 - 87°	1450714		
123474	125 - 15°	-		
123484	125 - 30°	-		
123494	125 - 45°	-		
123504	125 - 67°	-		
123514	125 - 87°	-		
124028	160 - 45°	1450720		
100564	160 - 87°	1450721		
123654	200 - 45°	-		
123664	200 - 87°	-		
Single branch				
123104	40/40 - 45°	1450902		
123114	40/40 - 87°	1450903		
121234	50/50 - 45°	1450904		
121254	50/50 - 87°	1450905		
121264	75/50 - 45°	1450906		
121284	75/50 - 87°	1450907		
121294	75/75 - 45°	1450908		
121544	75/75 - 87°	1450909		
123274	90/50 - 45°	-		
123284	90/50 - 87°	-		
123294	90/90 - 45°	-		
121324	110/50 - 87°	-		
121334	110/75 - 45°	-		
121344	110/75 - 87°	-		
121354	110/110 - 45°	1450916		
121374	110/110 - 87°	1450917		
120574	125/110 - 45°	1450918		
120594	125/110 - 87°	1450919		
120604	125/125 - 45°	1450920		
120604	125/125 - 87°	1450921		
121734	160/110 - 45°	-		
121744	160/110 - 87°	-		




4. ORDER CHECKLIST




Article	Product	REECE codes	Quantity	Price	
Double branch (45° and 87°)					
Double branch - 45°					
122964	110/110/110	1450756			
123594	125/110/110	-			
123674	160/110/110	1450759			
Double branch - 87°					
123714	90/90/90	-			
121554	110/110/110	1450757			
123684	160/110/110	-			
Corner double branch					
123724	90/90/90	-			
121564	110/110/110	-			
					
Shaft branch right					
123045	90/75/90	-			
123761	110/75/110	-			
Shaft branch left					
123055	90/75/90	-			
123771	110/75/110	-			
Parallel branch					
123734	90/90	-			
120564	110/110	-			
Deflection bend (45° and 87°)					
Deflection bend - 45°					
123056	75	1450762			
123057	90	-			
123058	110	1450766			
Deflection bend - 87°					
123075	75	1450763			
123085	90	-			
123095	110	1450767			

Reducer					
123124	50/40	1450762			
121384	75/50	1450762			
123314	90/50	-			
123324	90/75	-			
121394	110/50	1450762			
121404	110/75	1450762			
121994	110/90	-			
120614	125/110	-			
124039	160/110	1450762			
121804	160/125	-			
123764	200/160	-			

Article	Product	REECE codes	Quantity	Price	
PVC adaptor					
123009	40/43	1450706			
123012	50/56	1450707			
123016	75/69	1450708			
123017	90/82	-			
Connection pipe					
123164	40/40-30	1450752			
121414	50/40-30	1450753			
121424	50/50	1450754			
Connection bend					
123174	40/40-30	-			
122694	50/40-30	-			
121444	50/50	-			
Socket plug					
123134	40	1450943			
121454	50	1450944			
121464	75	1450945			
123334	90	-			
121474	110	1450947			
120624	125	-			
123774	160	1450949			
123974	200	-			
Double socket					
123144	40	1450768			
121484	50	1450769			
121584	75	1450770			
123344	90	-			
121494	110	1450772			
120474	125	-			
124047	160	1450774			
123784	200	-			

4. ORDER CHECKLIST

Article	Product	REECE codes	Quantity	Price	
Long socket					
123374	90	-			
121594	110	1450812			
Closet bend					
122924	90/90°	-			
121604	110/22°	-			
121614	110/45°	-			
121624	110/90°	1450744			
Closet connection					
122934	90	-			
121634	110	1450746			
121644	110	1450747			
P-trap siphon					
123039	110	1450870			
Floor gully					
100391	50/50/50/75	-			
ACCESSORIES					
Sound-dampening support bracket					
122004	75	1450954			
122044	90	-			
122014	110	1450956			
122024	125	-			
122034	160	1450958			
123924	200	-			
Fixing/security clamp					
122644	40	-			
120504	50	-			
120514	75	-			
122054	90	-			
120524	110	-			
120804	125	-			
121844	160	-			
123934	200	-			
Guiding clamp					
122654	40	-			
120534	50	-			
120544	75	-			
122064	90	-			
120554	110	-			
120814	125	-			
121854	160	-			
123944	200	-			
Headless screw					
121074	M 8	-			
121084	M 10	-			

Article	Product	REECE codes	Quantity	Price	
Rubber sealing ring					
128243	40	1450887			
128013	50	1450888			
128023	75	1450889			
128003	90	-			
128033	110	1450891			
128043	125	-			
128053	160	1450893			
Rubber nipple					
126253	50/40	1450882			
121913	50/50	1450883			
Rubber nipple with bead					
122923	40/30	1450884			
122933	50/30	1450885			
122943	50/40	1450886			
Rubber sleeve adaptor					
125024	50/53-63	1450894			
125034	75/75-89	1450895			
123904	110/90	-			
123914	110/110	1450897			
Securing clip					
123000	110	1450951			
123002	160	1450952			
123006	200	-			
Lubricant					
128933	150 g	1450813			
128943	250 g	1450814			
128953	500 g	1450815			

NOTES

NOTES



Regional Office for Asia/Australia
SINGAPORE

AUSTRALIA National Customer Centre Tel: 1300 768 033 Adelaide Tel: +61 8 8100-3500 Brisbane Tel: +61 7 5527-1833 Melbourne Tel: +61 3 9586-3100 Perth Tel: +61 8 9456-0700 Sydney Tel: +61 2 8741-4500 **GREATER CHINA** Beijing Tel: +86 10 6428-2956 Chengdu Tel: +86 28 8628-3218 Guangzhou Tel: +86 20 8776-0343 / 3646 Hong Kong Tel: +852 2898-7080 Qingdao Tel: +86 532 8667-8190 Shenyang Tel: +86 24 2287-5807 Taicang Tel: +86 512 5337-2815 Taipei Tel: +886 2 8780-3899 Xi'an Tel: +86 29 6859-7000 **INDIA** Bangalore Tel: +91 80 2222-0014 ~ 0015 Mumbai Tel: +91 22 6148-5858 New Delhi Tel: +91 11 4504-4700 ~ 4705 Pune Tel: +91 21 3530-4801 **INDONESIA** Jakarta Tel: +62 21 5275-177 **JAPAN** Tokyo Tel: +81 3 5796-2102 **KOREA** Seoul Tel: +82 2 5011-656 **NEW ZEALAND** Auckland Tel: +64 9 2722-264 **THAILAND** Bangkok Tel: +66 2 7443-155 **VIETNAM** Ho Chi Minh City Tel: +84 8 3823-3030