Performance Plus 7GD10-1 Domestic Hot Water Heater

The Performance Plus range of Domestic Heat Pump Water Heaters provide an energy efficient, low carbon means of extracting free heat from the ambient air for the purposes of heating and maintaining the potable hot water requirements for residential and commercial applications.

The heat pumps use a zero ODP (Ozone Depletion Potential) and low GWP (Global Warming Potential) refrigerant (R-410A) that complies with all current NZ/ AU legislation.

PERFORMANCE PLUS FEATURES

- Quiet running
- Built in drain tray
- Water flow switch activated
- Ozone friendly refrigerants
- · Epoxy coated corrosion resistant evaporator coils
- Built in refrigeration safety switches
- Electronic reverse cycle de-ice control
- · Easy to operate electronic controller with digital display
- TX valve for more efficient low ambient operation
- · Compressor has built in internal and external overload

PERFORMANCE PLUS BENEFITS

- · Easy to install and operate
- · Low operating costs and high efficiency
- Environmentally friendly
- Durable and long life expectancy
- Engineered and built in New Zealand
- · Automatically maintains any set temperature in all weather

Experience the best in heat pump water heater technology

IDEAL APPLICATIONS

- Domestic hot water
- Commercial hot water







Performance Plus 7GD10-1 Technical Specifications


kW input3.4Power SupplySingle PhaseRequired D - curve circuit breaker amps32 ampsNominal compressor run amps15.1Fan full load amps0.9Minimum flow rate - litre/second1.2Water connections25mm female faucetDimensions LxWxH - mm1030 x 380 x 1170
Required D - curve circuit breaker amps 32 amps Nominal compressor run amps 15.1 Fan full load amps 0.9 Minimum flow rate - litre/second 1.2 Water connections 25mm female faucet
Nominal compressor run amps 15.1 Fan full load amps 0.9 Minimum flow rate - litre/second 1.2 Water connections 25mm female faucet
Fan full load amps 0.9 Minimum flow rate - litre/second 1.2 Water connections 25mm female faucet
Minimum flow rate - litre/second 1.2 Water connections 25mm female faucet
Water connections 25mm female faucet
Dimensions LxWxH - mm 1030 x 380 x 1170
Weight - kg 125
Air volume @ high speed litre/second 1,100
Sound pressure level, high dB(A) *2 51/52

NB: Designs and specifications are subject to change without notice. *1 Nominal performance data based on 8°C wet bulb heating from 15°C - 55°C water temperature.

*2 Sound pressure measured at 3m in decibels re 20 μPa.



INSTALLATION INSTRUCTIONS



3 Corban Avenue, Henderson, Auckland 0612 PO Box 21 586, Henderson, Auckland 0650 Phone 09 838 9444 Fax 09 838 6223 info@waterheating.co.nz

Why buy from Hot Water Heat Pumps Ltd

Back up and service: You can be assured of unprecedented after-sales service. We provide free telephone and email support on all products, for the life of the product, even if you're outside of the warranty period. With periodic maintenance, your Hot Water Heat Pumps Ltd's product will provide you with a lifetime of efficient hot water heating.

Warranty: All of our residential hot water heater models carry a comprehensive two year parts and labour warranty, including the compressor, evaporator coil, heat exchanger and refrigeration systems.



R-410A R-410A R-410A

Safety first: Our heat pump water heaters are fitted with protection systems to prevent damage in the event of a malfunction. Such as a flow switch to ensure the heat pump cannot operate without water flow and other refrigeration safeties. If a problem is identified, the unit automatically shuts down before damage can occur.

Energy efficient: Government agency EECA (Energy Efficiency Conservation Authority) has listed heat pumps as one of the most energy efficient forms of heating in New Zealand.

Clean and green: As heat pumps use renewable energy (air), they are safer and cleaner to run than fossil fuel burners and can lower CO_2 emissions by up to 70% (compared to gas and diesel burners).

