





## Why IBS?

Since 1993, IBS has been working with the top building products producers from around the world to bring New Zealand a panel product range to help Kiwis build better.


We're always looking for what product is new and improved in the world market as well as developing new products right here in New Zealand. Our products go through a rigorous internal testing process as well as being third party verified to ensure that they are certified to comply with New Zealand building code requirements and standards.

We also make sure that our products are supplied from a sustainable renewable resource.

### IBS Mission Statement

IBS strives to be New Zealand's leading provider of quality panel products.

With a vast range of sustainably sourced products from around the world, we aim to give our customers the best service, best product and best range.



The IBS (Independent Building Supplies) team is committed to providing quality building products backed up with testing and documentation to make our products reliable, along with knowing that they come from a sustainable renewable resource.

We search the world and NZ to find the best panel products, test them to make sure that they are the best and send them around the country to help Kiwis build better.

## Order a sample

**If you're interested in any of our products, contact our team to find out more or order a sample.**

1/7 Fraser Road, Panmure, Auckland, New Zealand

0800 367 759

[sales@ibs.co.nz](mailto:sales@ibs.co.nz)

[www.ibs.co.nz](http://www.ibs.co.nz)

## What is PRIMAAqua?

IBS PRIMAAqua is a dry or wet area lining panel manufactured from cellulose fibre cement, with rebated edges on each length. PRIMAAqua has a smooth, sanded and sealed surface to ensure minimal water and moisture absorption in the exposed surface. Impact resistant and moisture resistant attributes have made PRIMAAqua the ideal choice for internal dry and wet area applications.

PRIMAAqua surface can be tiled or finished with paint or wallpaper.

### Key attributes:

- ✓ Durability and long lifetime
- ✓ Impact resistant
- ✓ Environmentally friendly materials
- ✓ Excellent strength and toughness
- ✓ Waterproofing and fireproofing
- ✓ Not prone to warping or cracking
- ✓ Good thermal and heat insulation
- ✓ Low maintenance
- ✓ Good acoustic insulation and weather resistance

## Where can I use PRIMAAqua?

IBS supplies PRIMAAqua panels for use as:

- ✓ An internal dry wall.
- ✓ An internal and external ceiling panel.
- ✓ A floor and wall substrate lining (over an existing structural floor) and wall framing for wet areas.
- ✓ A flat, even surface that can be covered with ceramic tiles or paint. You can use a water-based, acrylic or epoxy paint system, after the panels have been properly filled. In wet areas, PRIMAAqua can also be used with an approved waterproof membrane.

## Finishing

PRIMAAqua panels can be painted with a variety of water-based, acrylic or epoxy paint systems. Before you begin painting, ensure all the panel joints are reinforced and the fixing holes are filled using an approved interior grade flexible (polyester) filler.

PRIMAAqua panels can also be finished with tiling. Before you begin tiling, ensure all the panel joints are reinforced and the fixing holes are filled using an approved interior grade flexible (polyester) filler.

## Our PRIMAAqua product range

PRIMAAqua Cement Panel Product Details			
L X W x Thickness (mm)	Weight (kg)	IBS Product Code	GTIN
2400 x 1200 x 9	36	PRIMAA092412	09421028760447
2700 x 1200 x 9	40.5	PRIMAA092712	09421028760454



Scan the QR code to view all PRIMAaqua documents.

