



# CERTIFICATE OF CONFORMITY

This is to certify that

## The Nuraply 3PM Roofing Membrane System



### Product description

The Nuraply 3PM roofing membrane system is a double layer torch-on modified bitumen sheet membrane system, comprising adhesives and a base-sheet over which a weather resistant capsheet incorporating a mineral chip in a range of colours, is heat adhered. Seams are welded using heat. The base-sheets are supplied in coils 10m x 1m wide while the capsheets are supplied in 7.5m x 1m wide coils. The substrate may be Enertherm PIR insulating boards, used for producing Nuratherm 'warm roofs', or plywood or concrete.

### Product purpose or use

The Nuraply 3PM roofing membrane system is used for the construction of wind and moisture resistant membranes for roofs, especially low-slope roofs. The reinforced bituminous waterproofing membrane is suitable for light maintenance foot traffic only.

### Certificate Holder

**Nuralite waterproofing Ltd.**  
53A Victoria Street  
Onehunga Auckland 1061.  
Phone 09 579 2046

### CodeMark Certification Body

BEAL Certification Service Limited  
2A Plimmerton Drive  
Plimmerton, Porirua 5026, NZ  
Phone: +64 4 233 6661  
E-Mail: [bcs@beal.co.nz](mailto:bcs@beal.co.nz)  
Website: [www.beal.co.nz](http://www.beal.co.nz)

### Complies with the New Zealand Building Code:

Performance Clauses B1.3.2 and B1.3.3 (e) and (m)  
Performance Clauses B2.3.1 (b)  
Performance Clause B2.3.2 (a)  
Performance Clause E2.3.2  
Performance Clause F2.3.1.

Compliance with other clauses fall outside the scope of this certificate.

### Subject to the following:

#### Limitations of use -

A. All designs and construction shall be within the requirements and the tables set out in the Nuraply 3PM Roofing Membrane Technical Manual (2016 edition 6) available from the manufacturer's web site [www.nuralite.co.nz](http://www.nuralite.co.nz) and, all other uses are outside the scope of this certificate.

B. Accessories, componentry, cladding and finishing systems to comply with that specified in the Nuraply 3PM Roofing Membrane Manual (2016 edition 6) and the Nuralite Building Product Quality Plan (2016-v1);

C. Installation shall be performed by Nuralite Waterproofing Ltd trained and approved installers, who shall be supervised by a suitably qualified Licensed Building Practitioner ;

D. Installation and maintenance - where required - of the 3PM Nuraply Roofing Membrane system, shall be in accordance with the Nuralite Building Product Quality Plan 2016 v1, available on request;

#### Conditions of certification -

E. The Building Product Quality Plan for the Nuraply 3PM Roofing Membrane System shall be reviewed and subject to audit at their head office and building sites by the issuer at least once a year;

F. This certificate is issued subject to the waiver in Clause 5.2.3 of the CodeMark Scheme Rules.

### Technical information:

Information that forms part of this certificate or the basis for certification is available from the issuer on request and may be subject to a fee.

**Note that this certificate may only be reproduced in its entirety.**



[www.jas-anz.org/register](http://www.jas-anz.org/register)

**C R Prouse**  
Director  
BEAL Certification Service

13 April 2016

Date of Issue

BCS-1512-CMNZ

Certificate Number

This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.