


METRO X OUTDOOR SWITCHES



FEATURES

- Made to match the Metro Switchgear range
- Designed for the outdoors
- Shallow or deep options available

CODE	XMSW1S	XMSW1SB	XMSW1D	XMSW1DB
Number of Switches	1 Gang			
Material	Polycarbonate			
Colour	White	Black	White	Black
Base Style	Shallow		Deep	
Overall Dimensions (H x W x D)	107.7 x 93 x 66mm		107.7 x 93 x 81mm	
Rated Voltage	250V			
Rated Frequency	50Hz			
Rated Current	16A			
Terminals	One Way / Common / Two Way / Loop			
IP Rating	IP56			
Complies With	AS 3133, AS/NZS 3133, AS/NZS 3100			

METRO X OUTDOOR POWERPOINTS

FEATURES

- Made to match the Metro Switchgear range
- Designed for the outdoors
- Shallow or deep options available



CODE	XMP1HS	XMP1HSB	XMP1HD	XMP1HDB
Number of Sockets	Single			
Material	Polycarbonate			
Colour	White	Black	White	Black
Base Style	Shallow		Deep	
Overall Dimensions (H x W x D)	107.7 x 93 x 66mm		107.7 x 93 x 81mm	
Rated Voltage	250V A.C.			
Rated Frequency	50Hz			
Rated Current	10A			
Terminals	Active / Earth / Neutral			
IP Rating	IP53			
Complies With	AS/NZS 3112, AS/NZS 3100			

METRO X OUTDOOR POWERPOINTS

FEATURES

- Made to match the Metro Switchgear range
- Designed for the outdoors
- Shallow or deep options available



CODE	XMP2HS	XMP2HSB	XMP2HD	XMP2HDB
Number of Sockets	Double			
Material	Polycarbonate			
Colour	White	Black	White	Black
Base Style	Shallow		Deep	
Overall Dimensions (H x W x D)	175.8 x 93 x 66mm		175.8 x 93 x 81mm	
Rated Voltage	250V A.C.			
Rated Frequency	50Hz			
Rated Current	10A			
Terminals	Active / Earth / Neutral			
IP Rating	IP53			
Complies With	AS/NZS 3112, AS/NZS 3100			

METRO X 15AMP OUTDOOR POWERPOINTS



FEATURES

- Made to match the Metro Switchgear range
- Designed for the outdoors
- Shallow or deep options available

CODE	XMP1H15S	XMP1H15SB	XMP1H15D	XMP1H15DB
Number of Sockets	Single			
Material	Polycarbonate			
Colour	White	Black	White	Black
Base Style	Shallow		Deep	
Overall Dimensions (H x W x D)	107.7 x 93 x 66mm		107.7 x 93 x 81mm	
Rated Voltage	250V A.C.			
Rated Frequency	50Hz			
Rated Current	15A			
Terminals	Active / Earth / Neutral			
IP Rating	IP53			
Complies With	AS/NZS 3112, AS/NZS 3100			

METRO X 15AMP OUTDOOR POWERPOINTS



FEATURES

- Made to match the Metro Switchgear range
- Designed for the outdoors
- Shallow or deep options available

CODE	XMP2H15S	XMP2H15SB	XMP2H15D	XMP2H15DB
Number of Sockets	Double			
Material	Polycarbonate			
Colour	White	Black	White	Black
Base Style	Shallow		Deep	
Overall Dimensions (H x W x D)	175.8 x 93 x 66mm		175.8 x 93 x 81mm	
Rated Voltage	250V A.C.			
Rated Frequency	50Hz			
Rated Current	15A			
Terminals	Active / Earth / Neutral			
IP Rating	IP53			
Complies With	AS/NZS 3112, AS/NZS 3100			