



LEAD-FREE RAUTITAN

Plumbing system for safer drinking water

Water is the most precious element to human life; an essential nutrient for our health and well-being. Everybody has the right to clean water and this is what drives REHAU's commitment to create innovative and sustainable plumbing systems that deliver safe, clean drinking water to the community. In New Zealand, the availability of clean, fresh drinking water is generally taken for granted. Although, for a number of years now, there has been a growing concern regarding the purity of our drinking water due to reports of compromised water quality in some buildings. Recent cases of elevated lead in drinking water in Christchurch and Auckland taps has resulted in more serious discussions regarding the importance of tighter regulations on plumbing materials and design and swidely known that many components that make up the water supply networks in our homes and businesses are made from DZR brass. Yet, it is not widely understood that these brass components contain varying concentrations of lead. Lead gives brass some valuable properties for the production process including machinability and malleability making it more cost effective to produce. Nevertheless, if consumed it is extremely harmful to human health. In Germany and the USA more stringent lead content regulations have been in place to reduce the risk of lead contamination in drinking water, driving manufacturers to develop low lead or lead-free solutions.

Through REHAU's commitment to help people consume the cleanest and purest water possible REHAU ANZ has introduced the first lead-free PE-X plumbing range to New Zealand. REHAU's Lead-Free RAUTITAN consists of our renowned premium quality, high flexibility PE-Xa PN20 pipe combined with Lead-free PPSU PX polymer fittings, lead-free Gunmetal (RX+) fittings and PX polymer sleeves to create the cleanest and safest plumbing system on the planet.





With 50 years of experience in PE-Xa pipe production REHAU has perfected the process of creating the highest quality pipe with the ideal properties for plumbing applications. PE-Xa pipe is naturally lead free and has been specifically treated to ensure optimal flexibility, toughness and cleanliness to deliver pure, taste and odour-free water to the end user. Available in sizes from 16mm to 63mm for various applications including domestic hot and cold water, rainwater, recycled water and hydronic heating, REHAU's PE-Xa piping system is the ultimate choice for hygiene and sustainability.



PVDF PX Polymer Fittings

PX fittings are made from PVDF material, which is 100% lead-free and supremely hygienic. Available in non-threaded fittings in sizes 16-40mm, PX fittings are 5 times lighter than brass meaning you can carry more and get the job done faster. They are corrosion proof and lead-free so they do not deteriorate over time, suffer oxide build-up or leach lead into the water making them safer for the community. PVDF is the same material as the PX sleeve and has proven over many years of incident-free operations.



Gunmetal RX+ Fittings

RX+ fittings are made of a high quality low-lead bronze, also known as Red Brass or Gunmetal. They have a maximum lead content of 0.1%, exceeding the most stringent international standard for low-lead drinking water systems.



PX Polymer Sleeves

While compression sleeves are never in contact with water and therefore not covered by international low-lead regulation PVDF PX sleeves are 100% lead-free. They are available in sizes 16 to 40mm for use with REHAU water, gas and heating piping systems. They are lightweight, faster to install and completely secure making them the ideal material for compression sleeve jointed applications.



U-bend Fittings

Stagnant water in pipes (dead-legs) is known to facilitate the reproduction of bacteria and Legionella growth, which can cause health problems, commonly known as Legionnaires' disease. While guidelines exist in the New Zealand Plumbing Code to help minimise the risks, it can often be quite difficult to design a system that eliminates dead legs. REHAU's Gunmetal U-bend fittings are a unique concept purposely made to tackle this problem; minimizing dead-legs and allowing water to flow through plumbing fixtures even if they are not being used frequently. The U-bends reduce the risk of legionella growth facilitating the delivery of safer and cleaner water for the community.

With Lead-Free PE-X piping system now available in New Zealand the question arises, status quo or Lead-Free RAUTITAN? The choice is yours.

PIPES

Lead-Free RAUTITAN is suitable for Platinum and Red RAUTITAN pipe in sizes 16-40mm

RAUTITAN platinum for drinking water

REHAU Article	Size	m/Coil	m/Length	Package (m) Coil	Package (m) Length
132300-005	16 x 2.2		5		100
132310-005	20 x 2.8		5		100
132320-005	25 x 3.5		5		25
132330-005	32 x 4.4		5		25
132340-005	40 x 5.5		5		10
132300-100	16 x 2.2	100		100	
132310-100	20 x 2.8	100		100	
132320-050	25 x 3.5	50		50	
132330-050	32 x 4.4	50		50	



RAUTITAN red for hot drinking water

Size	m/Coil	m/Length	Package (m) Coil	Package (m) Length
16 x 2.2		5		100
20 x 2.8		5		100
25 x 3.5		5		25
16 x 2.2	100		100	
20 x 2.8	100		100	
25 x 3.5	50		50	
	16 x 2.2 20 x 2.8 25 x 3.5 16 x 2.2 20 x 2.8	16 x 2.2 20 x 2.8 25 x 3.5 16 x 2.2 100 20 x 2.8	16 x 2.2 5 20 x 2.8 5 25 x 3.5 5 16 x 2.2 100 20 x 2.8 100	Size m/Coil m/Length Coil 16 x 2.2 5 20 x 2.8 5 25 x 3.5 5 16 x 2.2 100 100 20 x 2.8 100 100





SLEEVES

PVDF PX Sleeves

PX sleeves are made of solvent resistant PVDF material

RAUTITAN PX compression sleeve - polymer

REHAU Article	Size (mm)	Material	Package (pcs)
160001	16	PVDF	100
160002	20	PVDF	100
160003	25	PVDF	100
160004	32	PVDF	50
160005	40	PVDF	25



FITTINGS

NON-THREADED FITTINGS

Non-threaded fittings are compression sleeve fittings that join PE-Xa pipes. Lead-Free RAUTITAN non-threaded fittings are made from PPSU (PX) and Gunmetal (RX+) material.

RAUTITAN PX no.1 straight coupling

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
160011	16 - 16	PPSU	10/50
160012	20 - 20	PPSU	10/50
160013	25 - 25	PPSU	10/50
160014	32 - 32	PPSU	10/30
160015	40 - 40	PPSU	4



RAUTITAN PX no.1 R reducing coupling

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
160041	20 - 16	PPSU	10/50
160042	25 - 16	PPSU	10/50
160043	25 - 20	PPSU	10/50
160044	32 - 25	PPSU	10/30
160047	40 - 32	PPSU	4



RAUTITAN PX no.12 elbow 90°

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
160021	16	PPSU	10/50
160022	20	PPSU	10/50
160023	25	PPSU	10/50
160024	32	PPSU	10/30
160025	40	PPSU	2





RAUTITAN PX elbow 45°

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
160055	40	PPSU	2



RAUTITAN PX no.24 T-piece

REHAU Article	Size (mm)	Material	Раскаде (pcs) Bag/Box
160031	16 - 16 - 16	PPSU	10
160032	20 - 20 - 20	PPSU	10
160033	25 - 25 - 25	PPSU	10
160034	32 - 32 - 32	PPSU	3
160035	40 - 40 - 40	PPSU	1



RAUTITAN PX no.25 T-piece - reduced centre

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
160061	20 - 16 - 20	PPSU	10
160062	25 - 16 - 25	PPSU	10
160063	25 - 20 - 25	PPSU	10
160064	32 - 16 - 32	PPSU	3
160065	32 - 20 - 32	PPSU	3
160066	32 - 25 - 32	PPSU	3
160067	40 - 20 - 40	PPSU	1
160068	40 - 25 - 40	PPSU	1
160069	40 - 32 - 40	PPSU	1



RAUTITAN PX no.26 T-piece - reduced end

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
160071	20 - 20 - 16	PPSU	10/50
160072	25 - 25 - 16	PPSU	10/50
160073	25 - 25 - 20	PPSU	10/50
160074	32 - 32 - 20	PPSU	3/15
160075	32 - 32 - 25	PPSU	3/15



RAUTITAN PX no.27 T-piece - reduced centre & end

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
160081	20 - 16 - 16	PPSU	10/50
160082	25 - 16 - 16	PPSU	10/50
160085	25 - 20 - 20	PPSU	10/50
160086	32 - 20 - 20	PPSU	3/15
160091	32 - 25 - 25	PPSU	3/15
160092	40 - 32 - 32	PPSU	10





RAUTITAN PX no.27 T-piece - unequal reduced centre & end

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
160083	20 - 16 - 20	PPSU	10/50
160084	25 - 20 - 16	PPSU	10/50
160087	32 - 20 - 25	PPSU	3/15
160089	32 - 25 - 20	PPSU	3/15



RAUTITAN PX no.28 T-piece - reduced ends

16 - 20 - 16	PPSU	10/50
		10/30
16 - 25 - 16	PPSU	10/50
20 - 25 - 16	PPSU	10/50
20 - 25 - 20	PPSU	10/50
25 - 32 - 25	PPSU	3/15
	16 - 25 - 16 20 - 25 - 16 20 - 25 - 20	16 - 25 - 16 PPSU 20 - 25 - 16 PPSU 20 - 25 - 20 PPSU



LEAD-FREE no.61 stopper

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
456387	16	Gunmetal	10/100
456388	20	Gunmetal	10/100





THREADED FITTINGS

Threaded fittings are metallic fittings with a thread on them that allows connection with third party components or appliances. Lead-Free RAUTITAN threaded fittings are made from Gunmetal (RX+) material.

LEAD-FREE no.2 straight connector - female

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
456327	16 - Rp 1/2"	Gunmetal	10/50
456328	20 - Rp 1/2"	Gunmetal	10/50
456329	20 - Rp 3/4"	Gunmetal	10/50
456331	25 - Rp 3/4"	Gunmetal	10/50
456332	32 - Rp 3/4"	Gunmetal	10/30
456333	32 - Rp 1"	Gunmetal	10/30
456334	40 - Rp 11/4"	Gunmetal	5/25
456408	25 - Rp 1"	Gunmetal	5/50



LEAD-FREE no.3 straight connector - male

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
456311	16 - R 1/2"	Gunmetal	10/50
456312	16 - R 3/4"	Gunmetal	10/50
456314	20 - R 1/2"	Gunmetal	10/50
456315	20 - R 3/4"	Gunmetal	10/50
456316	20 - R 1"	Gunmetal	5/25
456318	25 - R 3/4"	Gunmetal	10/50
456320	32 - R 3/4"	Gunmetal	10/30
456321	32 - R 1"	Gunmetal	10/30
456320 ₄	32 - R 1 1/4"	Gunmetal	5/25
456320 ₁	40 - R 1 1/4"	Gunmetal	5/25
456319	25 - R 1"	Gunmetal	10/50



LEAD-FREE no.62 straight tap connector with gasket - female

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
456335	16 - G 1/2"	Gunmetal	10/50
456337	20 - G 1/2"	Gunmetal	10/50
456338	20 - G 3/4"	Gunmetal	10/50
456339	25 - G 3/4"	Gunmetal	10/50
456340	25 - G 1"	Gunmetal	10/50
456341	32 - G 1"	Gunmetal	10/50
456342	32 - G 11/4"	Gunmetal	5/25
456343	32 - G 11/2"	Gunmetal	5/25
456344	40 - G 1 1/2"	Gunmetal	1



LEAD-FREE no.63 bent tap connector with gasket - female

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
456396	16 - G 1/2"	Gunmetal	10/50
456413	20 - G 1/2"	Gunmetal	10/50



[&]quot;R" = tapered male thread

[&]quot;Rp" = female thread

[&]quot;G" = parallel male thread (ie No.19BP's and new U-bends)

LEAD-FREE no.15 bp elbow - female thread - with 2 lugs

REHAU Article	Size (mm)	Material	Раскаде (pcs) Bag/Box
456358	16 - Rp 1/2"	Gunmetal	10/50
456359	20 - Rp 1/2"	Gunmetal	10/50
456360	20 - Rp 3/4"	Gunmetal	10/50
456361	25 - Rp 3/4"	Gunmetal	10/50



LEAD-FREE no.15 BP elbow female - 4 lugs

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
456367	16 - Rp 1/2"	Gunmetal	10/50
456369	20 - Rp 1/2"	Gunmetal	10/50



LEAD-FREE no.13 elbow - male thread

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
456347	16 - R 1/2"	Gunmetal	10/50
456348	20 - R 1/2"	Gunmetal	10/50
456349	20 - R 3/4"	Gunmetal	10/50
456350	25 - R 3/4"	Gunmetal	10/50
456351	32 - R 3/4"	Gunmetal	3/30
456352	32 - R 1"	Gunmetal	3/30



LEAD-FREE no.14 elbow - female thread

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
456353	16 - Rp 1/2"	Gunmetal	10/50
456355	20 - Rp 1/2"	Gunmetal	10/50
456356	20 - Rp 3/4"	Gunmetal	10/50
456357	25 - Rp 1"	Gunmetal	10/50



LEAD-FREE connection T-piece - male thread

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
456400	16 - 16 - R 1/2"	Gunmetal	4/40
456401	20 - 20 - R 1/2"	Gunmetal	4/40
456402	20 - 20 - R 3/4"	Gunmetal	4/40





LEAD-FREE connection T-piece - female thread with lugs

REHAU A	rticle	Size (mm)	Material	Package (pcs) Bag/Box
45629	91	16 - Rp 1/2" - 16	Gunmetal	10/50
45629	93	20 - Rp 1/2" - 16	Gunmetal	10/50
45629)4	20 - Rp 1/2" - 20	Gunmetal	10/50



LEAD-FREE connection T-piece - female thread

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
456414	25 - Rp 1/2" - 25	Gunmetal	10/50
456296	25 - Rp 3/4" - 25	Gunmetal	10/50
456297	32 - Rp 3/4" - 32	Gunmetal	3/30
456298	32 - Rp 3/4" - 25	Gunmetal	3/30
456299	32 - Rp 1" - 32	Gunmetal	3/30
456300	40 - Rp 1" - 40	Gunmetal	1/1



LEAD-FREE U-bend long - female thread 56mm

REHAU Article	Size (mm)	Material	Package (pcs) Bag/Box
456270	16/16 - Rp 1/2"	Gunmetal	5/20
456271	20/20 - Rp 1/2"	Gunmetal	5/20
456422	25/25 - Rp 1/2"	Gunmetal	5/20



This document is protected by copyright. All rights based on this are reserved. No part of this publication may be translated, reproduced or transmitted in any form or by any similar means, electronic or mechanical, photocopying, recording or otherwise, or stored in a data retrieval system.

Our verbal and written advice relating to technical applications is based on experience and is to the best of our knowledge correct but is given without obligation. The use of REHAU products in conditions that are beyond our control or for applications other than those specified releases us from any obligation in regard to claims made in respect of the products.

We recommend that the suitability of any REHAU product for the intended application should be checked. Utilisation and processing of our products are beyond our control and are therefore exclusively your responsibility. In the event that a liability is nevertheless considered, any compensation will be limited to the value of the goods supplied by us and used by you. Our warranty assumes consistent quality of our products in accordance with our specification and in accordance with our general conditions of sale.

REHAU ltd.

60B Cryers Road, East Tamaki Auckland 2013, NEW ZEALAND PO Box 58751, Botany, Auckland 2163 Email: sales.auckland@rehau.com

NEW ZEALAND Auckland Tel: +64 9 2722-264 AUSTRALIA National Customer Service Centre Tel: 1300 768 033 GREATER CHINA Beijing Tel: +86 10 6428-2956 Chengdu Tel: +86 28 8628-3218 Guangzhou Tel: +86 20 8776-0343 / 3646 Hong Kong Tel: +852 2898-7080 Qingdao Tel: +86 532 8667-8190 Shenyang Tel: +86 24 2287-5807 Shanghai Tel: +86 21 6355-1155 Taicang Tel: +86 512 5337-2888 Taipei Tel: +886 2 8780-3899 Xi'an Tel: +86 29 6859-7000 INDIA Bangalore Tel: +91 80 2222-0014 Mumbai Tel: +91 22 6148-5858 New Delhi Tel: +91114848-5600 Pune Tel: +91213567-4301 / 4340 INDONESIA Jakarta Tel: +622145871030 JAPAN Tokyo Tel: +81-3-3292-8337 PHILIPPINES Manila Tel: +63 2 654-5120 THAILAND Bangkok Tel: +66 2763-5100 VIETNAM Ho Chi Minh City Tel: +84 8 3823-3030

Errors and changes are to be expected

www.rehau.com ANZ007 BT 03.2020