

CERTIFICATE

CHAIN OF CUSTODY OF FOREST BASED PRODUCTS

Nº: PEFC/14-35-00004-AEN

The Spanish Association for Standardisation and Certification (AENOR), taking into account the evaluations and controls established in the Spanish System of Sustainable Forest Management Certification (PEFC), certifies that the firm:

GRUPO GARNICA PLYWOOD, S.A.

Has available a Chain of Custody of Forest Based Products Control System in its individual modality, in accordance with the requirements of the normative document PEFC ST 2002:2013 - Chain of Custody of Forest Based Products", dated 24 may 2013, for the activities carried out in the forest based products transformation sites stated in the annex to this Certificate.

Issued on: 2016-01-22 Expires on: 2019-05-27

formalización y Certificación

spañola de

Aveline BRITO

Chief Executive Officer of AENOR

AENOR - Cl Génova, 6 - 28004 Madrid (España) - Teléfono (+34) 914 326 000 - Telefax: (+34) 913 104 518 - www.aenor.es



LICENSE OF PEFC LOGO USE

N°: PEFC / 14 -35-00004



The Spanish Association for the Forest Certification, PEFC – España, considering AENOR'S Chain of Custody Conformity Certificate № PEFC / 14 -35 – 00004-AEN, grants the right to use the PEFC logo to the firm:

GRUPO GARNICA PLYWOOD, S.A.

According to the conditions established in the Document PEFC ST 2001:2008: "PEFC Logo Usage Rules – Requirements".

Issued on: 2016-01-22 Expires on: 2019-05-27

Secretary General of PEFC - España



ANNEX TO THE CHAIN OF CUSTODY OF FOREST BASED PRODUCTS **CERTIFICATE**

LIST OF FOREST BASED PRODUCTS TRANSFORMATION SITES AND ACTIVITIES under the Chain of Custody of Forest Based Products Certificate nº PEFC / 14 -35 - 00004-AEN, in the individual modality.

SITE	ADDRESS	ACTIVITY
GRUPO GARNICA PLYWOOD, S.A.	PQ SAN MIGUEL, 10 BAJO. 26007 - LOGROÑO (LA RIOJA)	Commercialization of caravan, parquet and standard grade of poplar, okoume, ilomba, fromager, beech, eucalyptus, birch, maple, cherry, walnut and red oak plywood for interior and exterior use, in thicknesses ranging from 2.7mm to 50mm, width of 1850 and length of up to 3100mm. Commercialization of "compound panels" made from plywood panels and laminated coating (CPL and HPL) and/or polystyrene cores (XPS), in thicknesses from 3,7 up to 150mm, width up to 1850mm and length up to 3100mm. Commercialization of poplar veneers in thicknesses ranging from 0.9 to 4.6mm, width of up to 1850mm and length of up to 3100 Physical separation method.PEFC certified and PEFC Controlled Sources.

Issued on: 2016-01-22

Expires on: 2019-05-27

Avelino BRITO MARQUINA Chief Executive Officer of AENOR

By PEFC - España. The Secretary General

ABNOR - Cl Génova, 6 - 28004 Madrid (España) - Teléfono (+34) 914 326 000 - Telefax: (+34) 913 104 518 - www.aenor.es
PEFC - España - Cl Viriato, 20 - 3°C - 28010 Madrid (España) - Teléfono: (+34) 915 910 088 - Telefax: (+34) 915 910 087 - www.pefc.es



ANNEX TO THE CHAIN OF CUSTODY OF FOREST BASED PRODUCTS CERTIFICATE

LIST OF FOREST BASED PRODUCTS TRANSFORMATION SITES AND ACTIVITIES under the Chain of Custody of Forest Based Products Certificate n° PEFC / 14 -35 - 00004-AEN, in the individual modality.

SITE	ADDRESS	ACTIVITY
GARNICA PLYWOOD FUENMAYOR, S.L.U.	CR NAVARRETE, 20. 26360 - FUENMAYOR (LA RIOJA)	Manufacturing of caravan, parquet and standard grade of poplar, okoume, ilomba, fromager, beech, eucalyptus, birch, maple, cherry, walnut and red oak plywood for interior and exterior use, in thicknesses ranging from 2.7mm to 50mm, width of 1850 and length of up to 2550mm. Manufacturing of "compound panels" made from plywood panels and laminated coating (CPL and HPL) and/or polystyrene cores (XPS), in thicknesses from 3,7 up to 150mm, width up to 1850mm and length up to 3100mm. Production of poplar veneers in thicknesses ranging from 0,9 to 4,6mm, width of up to 1850mm and length of up to 2550 and wood by-products (chips). Percentage method.PEFC certified and PEFC Controlled Sources.

Issued on: 2016-01-22

Expires on: 2019-05-27

By AENOR. Avelino BRITO MARQUINA
Chief Executive Officer of AENOR

By PEFC - España. The Secretary General

ABNOR - Cl Génova, 6 – 28004 Madrid (España) – Teléfono (+34) 914 326 000 – Telefax: (+34) 913 104 518 – <u>www.aenor.es</u>
PEFC – España - Cl Viriato, 20 - 3°C - 28010 Madrid (España) – Teléfono: (+34) 915 910 088 – Telefax: (+34) 915 910 087 – <u>www.pefc.es</u>
2 / 1



ANNEX TO THE CHAIN OF CUSTODY OF FOREST BASED PRODUCTS CERTIFICATE

LIST OF FOREST BASED PRODUCTS TRANSFORMATION SITES AND ACTIVITIES under the Chain of Custody of Forest Based Products Certificate n° PEFC / 14 -35 - 00004-AEN, in the individual modality.

SITE	ADDRESS	ACTIVITY
GARNICA PLYWOOD BAÑOS DE RIO TOBIA, S.A.U.	CM. DE BERCEO, S/N. 26320 - BAÑOS DE RIO TOBIA (LA RIOJA)	Forestry exploitation and transport of wood. Physical separation method. PEFC certified and PEFC Controlled Sources. Manufacturing of caravan, parquet and standard grade of poplar, okoume, ilomba, fromager, beech, eucalyptus, birch, maple, cherry, walnut and red oak plywood for interior and exterior use, in thicknesses ranging from 2.7mm to 50mm, width of 1850 and length of up to 2550mm. Commercialization of "compound panels" made from plywood panels and laminated coating (CPL and HPL) and/or polystyrene cores (XPS), in thicknesses from 3,7 up to 150mm, width up to 1850mm and length up to 3100mm. Production of poplar veneers in thicknesses ranging from 0.9 to 4.6mm, width of up to 1850mm and length of up to 2550 and wood by-products (chips, logs and round timber). Commercialization of forestry wood by-products. Percentage method PEFC certified and PEFC Controlled Sources.

Issued on: 2016-01-22

Expires on: 2019-05-27

A Chief Executive Officer of AENOR

By PEFC - España. The Secretary General

AENOR - Cl Génova, 6 - 28004 Madrid (España) - Teléfono (+34) 914 326 000 - Telefax: (+34) 913 104 518 - www.aenor.es

PEFC - España - Cl Viriato, 20 - 3°C - 28010 Madrid (España) - Teléfono: (+34) 915 910 088 - Telefax: (+34) 915 910 087 - www.pefc.es

3 / 1



ANNEX TO THE CHAIN OF CUSTODY OF FOREST BASED PRODUCTS CERTIFICATE

LIST OF FOREST BASED PRODUCTS TRANSFORMATION SITES AND ACTIVITIES under the Chain of Custody of Forest Based Products Certificate n° PEFC / 14 -35 - 00004-AEN, in the individual modality.

SITE	ADDRESS	ACTIVITY
GARNICA PLYWOOD BAÑOS DE RIO TOBIA, S.A.U.	CR DE LERMA LR-113 KM. 56-57. 26320 - BAÑOS DE RIO TOBIA (LA RIOJA)	Manufacturing of caravan, parquet and standard grade of poplar, okoume, ilomba, fromager, beech, eucalyptus, birch, maple, cherry, walnut and red oak plywood for interior and exterior use, in thicknesses ranging from 2.7mm to 50mm, width of 1850 and length of up to 3100mm. Commercialization of "compound panels" made from plywood panels and laminated coating (CPL and HPL) and/or polystyrene cores (XPS), in thicknesses from 3,7 up to 150mm, width up to 1850mm and length up to 3100mm. Production of poplar veneers in thicknesses ranging from 0.9 to 4.6mm, width of up to 1850mm and length of up to 3150 and wood by-products (chips). Percentage method. PEFC certified and PEFC Controlled Sources.

Issued on: 2016-01-22

Expires on: 2019-05-27

By AENOK. Avelino FRITO MARQUINA

Chief Executive Officer of AENOR

By PEFC - España. The Secretary General



ANNEX TO THE CHAIN OF CUSTODY OF FOREST BASED PRODUCTS CERTIFICATE

LIST OF FOREST BASED PRODUCTS TRANSFORMATION SITES AND ACTIVITIES under the Chain of Custody of Forest Based Products Certificate n° PEFC / 14 -35 - 00004-AEN, in the individual modality.

SITE	ADDRESS	ACTIVITY
GARNICA PLYWOOD VALENCIA DE DON JUAN, S.L.	CR DE VILLAFER, KM 2. 24200 - VALENCIA DE DON JUAN (LEON)	Forestry exploitation and transport of wood. Physical separation method. PEFC certified and PEFC Controlled Sources. Manufacturing of caravan, parquet and standard grade of poplar, okoume, ilomba, fromager, beech, eucalyptus, birch, maple, cherry, walnut and red oak plywood for interior and exterior use, in thicknesses ranging from 2.7mm to 50mm, width of 1850 and length of up to 2550mm. Commercialization of "compound panels" made from plywood panels and laminated coating (CPL and HPL) and/or polystyrene cores (XPS), in thicknesses from 3,7 up to 150mm, width up to 1850mm and length up to 3100mm. Production of poplar veneers in thicknesses ranging from 0.9 to 4.6mm, width of up to 1850mm and length of up to 2600 and wood by-products (chips, logs and round timber). Commercialization of forestry wood by-products. Percentage method PEFC certified and PEFC Controlled Sources.

Issued on: 2016-01-22

Expires on: 2019-05-27

By AENOR. Avelino BRITO MARQUINA

Chief Executive Officer of AENOR

By PEFC - España. The Secretary General