



Engineering progress
Enhancing lives

REHAU PINC™

Push In. Connect.

PINC™ Close Up.



Same Pipe Faster Installation



It's REHAU

PINC™ is push-fit technology for faster installation, while also having the high quality, safety and reliability of REHAU.

It has been designed and manufactured to the highest specifications, and is the result of decades of polymer product development.

We understand plumbing is also changing with customers wanting simpler installs, better productivity, more potential to grow profit and opportunities to save time.

The PINC™ product range satisfies these needs by bringing efficiency and ease to any plumbing project. The PINC™ fitting system also complements REHAU's trusted sliding sleeve system - same pipe, different connection technology.

PINC™ works by pushing REHAU standard PE-Xa 16 or 20 mm hot or cold water pipe into a PINC™ connector joint until it clicks – the joint is completely home when the 360° fluorescent UV pink inspection ring is fully visible - **simplicity and trust.**

PINC™ is also dark place friendly - simply shine a UV torch at the pink inspection ring to see a full circle view of the completed joint - **safety.**

It's also tool free, apart from a trusty pipe cutter - **efficiency.**



PINC™ Close Up

Strength

Grab ring

Stainless steel toothed ring capable of holding up to 2.5 tonnes pull-out force.





Visual

Guide ring

Dual functionality and the heart of the design – ensures smooth pipe insertion and provides visual confirmation of completed connection.

PINC™ Exploded

Tough

Fitting body

Made from temperature and chemical resistant engineered polymer.



Secure

Sealing rings

2x EPDM sealing rings for extra security and enhanced leak tightness.

Inside



End cap

Glass fibre reinforced black Grilamid. Securely holds all components in place.



Grab ring

Stainless Steel toothed ring capable of holding up to 2.5 tonnes pull-out force.



Guide ring

Dual functionality and the heart of the design – ensures smooth pipe insertion and provides visual confirmation of completed connection.



Inner collet

Tough thermo-plastic polymer that provides both stability and strength to the fitting.



Clear housing

Glass fibre reinforced transparent Grilamid. See what's going on inside from all directions.



REHAU PINE™

Do what really matters

REHAU Ltd

12 Allens Road, East Tamaki, Auckland 2013, New Zealand

Tel: +64 9 272 2264 | Fax: +64 9 272 2265

Email: sales.nz@rehau.com

www.rehau.co.nz

