

SRP™ CEILING PRODUCT RANGE

16mm BATTEN

Low profile, suitable for apartments, offices and house ceilings. Face width is 38mm and can be Direct fixed or combines with the Top Cross rail and TCR clip to form a suspended ceiling.

Stock lengths – 3.6 & 4.8M



22mm BATTEN

Offers a generous face width of 38mm while maintaining a low profile, strength, light weight and is suitable for wall strapping or direct fixing via the adjustable wall fix clip. The Strongback and furring strap combine with the 22mm Batten to form a suspended ceiling system.

Stock lengths – 3.6, 4.8, 6M



28mm BATTEN

Medium height. Suitable for larger spans, face width is 38mm and can be direct fixed or combined with TCR and TCR clip to form a suspended ceiling system.


Stock lengths – 3.6 & 4.8M



35mm BATTEN

A robust profile that matches up to the ribbon plate thickness of house framing. This product has a generous face width of 38mm.


Stock lengths are 3.6, 4.8,6M



35mm NOTCHED BATTEN

A robust profile that matches up to the ribbon plate thickness of house framing. This product has a generous face width of 38mm.

Notched Batten can be cut to length with a standard tongue of 25mm either end



38 X 12mm STRONGBACK CHANNEL

Combines with 22mm Batten and furring strap to make a suspended ceiling.

Stock lengths – 3.6, 4.8M




26 X 21mm TCR


Combines with 16mm and 28mm Batten to form a suspended ceiling system.

Stock lengths – 3.6, 4.8M



TCR CLIP**FURRING STRAP CLIP**

Works to combine 22mm Batten and Strongback to form a suspended ceiling system.

**16/28mm DIRECT FIX CLIP**


Offering a 19mm of slot adjustment the 16/28mm clip combines with 16mm or 28mm Batten for direct fixing.

**22/35mm DIRECT FIX CLIP**

Offering 25mm of slot adjustment the 22/35 clip combines with the 22mm or 35mm Batten for direct fixing.


**UNIVERSAL WALL FIX CLIP**

21mm slot adjustment can combine with all four Batten sizes.



ADJUSTABLE WALL FIX CLIP

Used for strapping concrete and block walls.
Accommodates 22mm & 35mm Battens.



ADJUSTABLE WALL FIX CLIP LONG SERIES

Used for strapping concrete and block walls.
Accommodates 16mm or 28mm Battens.




ADJUSTABLE WALL FIX CLIP SHORT SERIES

Used for strapping concrete and block walls.
Accommodates 16mm or 28mm Battens.



ANGLE - 35 X 35 AND 40 X 40

Commonly used as room perimeter and
bracing.



PERIMETER TRACK FOR ALL SIZED BATTENS

Runs the perimeter of the room to support
ceiling Batten, Strongback or TCR.

Stock lengths – 3, 3.6M