
## RESIDENTIAL SLIMCLAD REVERSE RUN WALL CLADDING BALUSTRADE FOR HORIZONTAL CLADDING

Detail Number: RI-RSCW031A

Date drawn: 25/11/2021

Scale: 1:5@, A4



SITE WIND ZONE		MINIMUM (mm)
(As per NZS3604)		Z <sup>(2)</sup>
SITUATION I	(5)	75 or 2 crests min
SITUATION 2 \$ 3	(5)	100 or 2 crests min

## NOTES:

- I. SITUATION I, 2 \$ 3 AS PER E2/AS I TABLE 7
- EXCLUDES DRIP EDGE.
- 3. CAVITY BATTENS CONTAINING
  CORROSIVE MATERIAL MUST BE
  SEPARATED FROM METAL CLADDING BY
  DPC, BUILDING WRAP, PVC OR PAINTING.
- 4. FASTENERS TO BE COMPATIBLE WITH MATERIAL BEING FIXED AND THE SUITABLE GRADE FOR THE ENVIRONMENT IN WHICH LOCATED
- 5. ALTERNATIVELY REFER TO E2/AS I FOR FLASHING COVER GUIDANCE

## Copyright detail © 2021



## NOTES:

- These details are to be read with Roofing Industries profile technical summary regarding wind loads and fixings.
- These details are generally in compliance E2/AS I and/or the NZ Metal Roof \$ Wall Cladding Code of Practice and in some cases specific details by 'Roofing Industries'.
- The building designer is ultimately responsible to ensure that details used meet the requirements of the NZ Building Code for the specific project.
- Details of the supporting structure including cavity battens are indicative only and are the responsibility of the building designer. For steel framed buildings thermal break cavity battens may be required.
- Roof/wall underlay selection are the responsibility of the designer. Underlay to be installed in accordance with underlay manufacturer's recommendations and requirements.
- These details are for Roofing Industries profile/s as nominated and may not be applicable to other profiles.
- This drawing is the copyright of 'Roofing Industries' and can only be copied or reproduced with their permission.
- Further information can be obtained from the NZ Metal Roof \$ Wall Cladding Code of Practice: www.metalroofing.org.nz or E2/AS1.
- Details are for steel based materials, other substrates may require some changes.
- All dimensions are nominal.