

CLASS 1

## Building Product Information Sheet

Product name (include the brand name):

STEEL ANGLES

Product description and its intended use:

Steel Angles can be used to strengthen internal corners of façade systems and steel framing requirements for facade systems. Autoclaved Aerated Concrete Panel Systems (AAC) and steel framing requirements for facade systems. Slotted angles can be used for head and base fixing for AAC panel systems.

Manufactured from G200 Z275 Galvanised Steel  
Heavy duty Angles are available in 0.75 and 1.15 bmt steel thickness

Product identifier (if applicable):

(This could be a Global Trade Item Number (GTIN) or quick response code (QR code), or any other distinguishable part/model number or identifier.)

Place of manufacture:  Aotearoa New Zealand  Overseas \*This product is manufactured in Australia and New Zealand, for sale in new zealand.

Legal and trading name of the manufacturer(s):

Rondo Building Services Pty Ltd

Address for service:

STREET NAME 57-87 Lockwood Rd

SUBURB Erskine Park

CITY, COUNTRY Sydney, Australia

POSTCODE 2759

Website:

www.rondo.com.au

Email address:

rondo@rondo.com.au

Phone no. (if applicable):

1300 367 663

NZBN (if applicable):



Legal and trading name of the importer/manufacturer (if applicable):

Rondo Building Services Pty Ltd

Address for service:

STREET NAME Building C1, 373 Neilson Street

SUBURB Penrose

CITY, COUNTRY Auckland, New Zealand

POSTCODE 1061

Website:

www.rondo.co.nz

Email address:

rondo.newzealand@rondo.co.nz

Phone no. (if applicable):

64 9 636 5110

NZBN (if applicable):

Relevant Building Code clauses:

B1 Structure: Performance clauses B1.3.1, B1.3.2  
 B2 Durability: Performance clauses B2.3.1 (b) (i), (ii), and B2.3.2

Statement on how the building product is expected to contribute to compliance:

Wall framing members and connections are designed in accordance with AS/NZS 4600:2018 Cold-formed steel structures to resist the vertical and horizontal design actions assessed for the relevant load combinations nominated in AS/NZS 1170.0:2002 Structural Design Actions – Part 0: General Principles.

Rondo may provide a 15-year structural system warranty for internal applications to certain corrosion categories, which complies to Clause B2-Durability for non-structural building elements that are moderately difficult to access and replace.

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:

It should be noted that Rondo products do not satisfy code requirements on their own, but deliver code compliant performance when used as part of full wall system, installed in accordance with specific Rondo technical literature.

Design requirements that would support the appropriate use of the building product:

Rondo recommends that you seek professional advice relating to your unique architectural and building requirements, and that of the building code, to ensure the design is compliant.  
We recommend that you contact Rondo NZ to obtain a design that is specifically customised to your project requirements. This service is complementary.  
Rondo can facilitate a PS1 design if requested by Council in some cases (chargeable at cost).

Installation requirements *(also provide link to the product installation guide)*:

Rondo recommends that this System is installed by a qualified trades person and according to the relevant codes and standards. Refer to Rondo literature ([www.rondo.co.nz](http://www.rondo.co.nz))

Maintenance requirements *(also provide link to the product maintenance guide)*:

There are no specific or periodical maintenance requirements when installed in accordance with the design and installation requirements listed above.

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?:

Yes  No

If yes, description of the warning or ban under section 26:

N/A

Date: 01/12/2023