IAPMO OCEANIA

7-11 Fullard Road, Narre Warren, Victoria 3805, Australia /info@iapmooceania.org

www.jas-anz.org/register

CERTIFICATE OF CONFORMITY

IAPMO Oceania hereby grants to:

Jesani Distributions Ltd

6C Ascension Place, Rosedale, Auckland 0620 New Zealand

Email: solutions@jesani.co.nz

the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme;– Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity – Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceania's WaterMark Governance Rules.

Evaluated to:

WMTS-040:2022

Waste pipe connection outlets and gratings, separate or integral

Manufacturer:

Refer to Licence Holder

Licence No.:	WM-032401	**First Certified:**	16 Sep 2025
Certification Date:	02 Oct 2026	**Expiry Date:**	15 Sep 2030

David Viola

Chief Executive Officer of the IAPMO Group

This WaterMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO Oceania, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO Oceania. This certificate can only be reproduced in its entirety. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate."

WATERMARK CERTIFICATE OF CONFORMITY
SCHEDULE OF CERTIFIED PRODUCT

Certificate Holder

Jesani Distributions Ltd

A.B.N.:

6C Ascension Place, Rosedale, Auckland 0620 New Zealand

Manufacturer

Refer to Licence Holder

Standard

WMTS-040:2022

Waste pipe connection outlets and gratings, separate or integral

Licence No. WM-032401 **Certification Date:** 02 Oct 2026 **Expiry Date:** 15 Sep 2030 **First Certified:** 16 Sep 2025

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Outlet	Material
Jesani	Standard Door Channel (Grill)	JSDCT-G	Non-plastic waste outlet	Standard door channel for tiled flooring. With a fixed height 2 bar grill	Floor drain	Length: 710mm - 1060mm Width: 40mm	R 1.1/4" threaded end connection	304 stainless steel
Jesani	Standard Door Channel 4 bar grill (Grill)	JSD4T-G	Non-plastic waste outlet	Standard door channel with four bar grill, for tiled floor. With a fixed height 4 bar grill	Floor drain	Length: 710mm - 1060mm Width: 68mm	R 2.1/2" threaded end connection	304 stainless steel
Jesani	Cavity Door Channel (Grill)	JCST-G	Non-plastic waste outlet	Cavity slider door channel for tiled flooring. With a fixed height 2 bar grill	Floor drain	Length: 710mm - 1060mm Width: 40mm	R 1.1/4" threaded end connection	304 stainless steel
Jesani	Shower Channel - 3 Wall Mounted (Tile insert)	JWMSC-TI	Non-plastic waste outlet	Tiled shower channel mounted on/in between three walls with an adjustable height 76mm-120mm tile insert.	Shower drain	Length: 900mm - 5000mm Width: 110mm - 140mm	R 2" or R 2.1/2" threaded end connection	304 stainless steel
Jesani	Shower Channel - 3 Wall Mounted (Grill)	JWMSC-G	Non-plastic waste outlet	Tiled shower channel mounted on/in between three walls with an adjustable height 5 bar grill.	Shower drain	Length: 900mm - 5000mm Width: 110mm - 120mm	R 2" or R 2.1/2" threaded end connection	304 stainless steel
Jesani	Shower Channel - 2 Wall RH Flange down (Tile insert)	JWMSC-RH-TI	Non-plastic waste outlet	Tiled shower channel mounted on two walls with an adjustable height 76mm-120mm tile insert.	Shower drain	Length: 900mm - 5000mm Width: 110mm - 140mm	R 2" or R 2.1/2" threaded end connection	304 stainless steel
Jesani	Shower Channel - 2 Wall RH Flange down (Grill)	JWMSC-RH-G	Non-plastic waste outlet	Tiled shower channel mounted on two walls with an adjustable height 5 bar grill.	Shower drain	Length: 900mm - 5000mm Width: 110mm - 120mm	R 2" or R 2.1/2" threaded end connection	304 stainless steel
Jesani	Shower Channel - 2 Wall LH Flange down (Tile insert)	JWMSC-LH-TI	Non-plastic waste outlet	Tiled shower channel mounted on two walls with an adjustable height 76mm-120mm tile insert.	Shower drain	Length: 900mm - 5000mm Width: 110mm - 140mm	R 2" or R 2.1/2" threaded end connection	304 stainless steel
Jesani	Shower Channel - 2 Wall LH Flange down (Grill)	JWMSC-LH-G	Non-plastic waste outlet	Tiled shower channel mounted on two walls with an adjustable height 5 bar grill.	Shower drain	Length: 900mm - 5000mm Width: 110mm - 120mm	R 2" or R 2.1/2" threaded end connection	304 stainless steel
Jesani	Centre Shower Channel (Tile insert)	JCSC-TI (Centre)	Non-plastic waste outlet	Tiled centre shower channel mounted inbetween two walls with an adjustable height 76mm tile insert.	Shower drain	Length: 900mm - 5000mm Width: 76mm	R 2" or R 2.1/2" threaded end connection	304 stainless steel
Jesani	Centre Shower Channel (Grill)	JCSC-G (Centre)	Non-plastic waste outlet	Tiled centre shower channel mounted inbetween two walls with an adjustable height 5 bar grill	Shower drain	Length: 900mm - 5000mm Width: 76mm	R 2" or R 2.1/2" threaded end connection	304 stainless steel
Jesani	Threshold Shower Channel (Tile insert)	JTSC-TI	Non-plastic waste outlet	Tiled shower channel mounted inbetween two walls with an adjustable height 76mm tile insert	Shower drain	Length: 900mm - 5000mm Width: 76mm	R 2" or R 2.1/2" threaded end connection	304 stainless steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Outlet	Material
Jesani	Threshold Shower Channel (Grill)	JTSC-G	Non-plastic waste outlet	Tiled shower channel mounted inbetween two walls with an adjustable height 5 bar grill	Shower drain	Length: 900mm - 5000mm Width: 76mm	R 2” or R 2.1/2” threaded end connection	304 stainless steel
Jesani	Threshold LH Flange Shower Channel (Tile insert)	JTSC-LH-TI	Non-plastic waste outlet	Tiled shower channel mounted on a right hand side wall with an adjustable height 76mm tile insert	Shower drain	Length: 900mm - 5000mm Width: 76mm	R 2” or R 2.1/2” threaded end connection	304 stainless steel
Jesani	Threshold LH Flange Shower Channel (Grill)	JTSC-LH-G	Non-plastic waste outlet	Tiled shower channel mounted on a right hand side wall with an adjustable height 5 bar grill	Shower drain	Length: 900mm - 5000mm Width: 76mm	R 2” or R 2.1/2” threaded end connection	304 stainless steel
Jesani	Slimline shower channel	JSSCT	Non-plastic waste outlet	Slimline shower channel for tiled bathroom, left hand side wall with a fixed height 2 bar grill	Shower drain	Length: 900mm - 5000mm Width: 40mm	R 1.1/4” threaded end connection	304 stainless steel
Jesani	End wing wall Threshold shower channel LH (Tile insert)	JEWW-LH-TI	Non-plastic waste outlet	Tiled shower channel on the end of a LH wing wall with an adjustable height 76mm tile insert	Shower drain	Length: 900mm - 5000mm Width: 76mm	R 2” or R 2.1/2” threaded end connection	304 stainless steel
Jesani	End wing wall Threshold shower channel LH (Grill)	JEWW-LH-G	Non-plastic waste outlet	Tiled shower channel on the end of a LH wing wall with an adjustable height 5 bar grill.	Shower drain	Length: 900mm - 5000mm Width: 76mm	R 2” or R 2.1/2” threaded end connection	304 stainless steel
Jesani	Jesani Shower Channel (Tile insert)	JSC-TI	Non-plastic waste outlet	Tiled shower channel which can be placed anywhere in shower, as long as its parallel to a wall. With an adjustable height 76mm tile insert.	Shower drain	Length: 300mm - 5000mm Width: 76mm	R 2” or R 2.1/2” threaded end connection	304 stainless steel
Jesani	Jesani Shower Channel (Grill)	JSC-G	Non-plastic waste outlet	Tiled shower channel which can be placed anywhere in shower, as long as its parallel to a wall. With an adjustable height 5 bar grill.	Shower drain	Length: 300mm - 5000mm Width: 76mm	R 2” or R 2.1/2” threaded end connection	304 stainless steel
Jesani	Jesani Vinyl Clamp Shower Channel	JVC	Non-plastic waste outlet	Shower channel for vinyl flooring. With a fixed height bar grill (optional widths to suit 4, 5, 6, 7, 8, or 9 bar grill). Note: R 1.1/4” outlet not available on 4 bar grill model	Shower drain	Length: 700mm - 5000mm Width: 65mm - 140mm	R 1.1/4”, R 2” or R 2.1/2” threaded end connection	304 stainless steel

END RECORD **END RECORD**



David Viola
Chief Executive Officer of the IAPMO Group