Cavity Sliders™

CL100 DigiLock



CL100 DigiLock

By taking our standard CL100 Mortice and adding the functionality of a digital lock, we can offer high security that is upgradeable (by changing pin numbers) and dependable.


This combination door lock for sliding doors can be set to "slam lock" which means every time the door is closed it is locked and requires pin code access to open. There is an added function of dual security - this lock can be supplied with digital pin code as well as key access, meaning you need both access passes to get in.

Features


- Digital Locking Technology
- Key locking may be added to the CL100 DigiLock with the addition of a Euro Profile cylinder
- Exit Free function locks the door from the outside. While exiting from the inside, no unlocking actions must be performed to exit
- Suitable for cavity slider or surface sliding doors

Product Specifications


Front




Side




Top View



Striker



Escutcheon



Finish Options



Satin Chrome

Construction

Case	Diecast Zinc
Internal Parts	Bronze/Brass
Screws, springs etc	Stainless Steel
Faceplate & striker	Brushed Stainless Steel

Configurations

CL100B5006	DigiLock
CL100A8008	DigiLock + Key

© All copyright and other property in this document is reserved by Cavity Sliders Ltd.
Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions.
Drawings are not to scale. Dimensions are in mm. **CaviLock® DigiLock™ (O.D. 1995).** 11/2024

CavitySliders.com

info@cavitysliders.co.nz 0800 754 337

NEW ZEALAND MADE


masterspec partner

Technical Detail

CL100 Mortice Lock Features

The CL100 Mortice Lock is a versatile mortice that has many different internal and external hardware options.

- Suitable for pocket doors and surface sliding doors
- Easy to operate
- Corrosion-resistant
- For use with timber or aluminium doors



Key Locking

Key locking may be added to the CL100 DigiLock with the addition of a Euro Profile cylinder, specified as either KA (Keyed Alike) or KD (Keyed to Differ). Must be specified at time of order.

© All copyright and other property in this document is reserved by Cavity Sliders Ltd.
Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions.
Drawings are not to scale. Dimensions are in mm. **CaviLock® DigiLock™ (O.D. 1995).** 11/2024

CavitySliders.com

info@cavitysliders.co.nz 0800 754 337

Specs and Instructions