Cavity Sliders™

CL400® Magnetic Passage




CL400® Magnetic Passage

The CL400® is a stylish architectural option for passage handles. Designed to complement the privacy and locking range, this handle features a positive hold close action to ensure the door doesn't bounce off the closing jamb.


Features

- Door slides flush back into the pocket
- Patented magnetic technology
- Positive grip for heavy doors
- Suitable for cavity slider or surface sliding doors

Product Specifications



Finish Options



Technical Information

Door Thickness	34-52mm
Suitable Door Types	Timber, Aluminium, Steel
Options	Magnetic Latching, Non-Latching

© All copyright and other property in this document is reserved by Cavity Sliders Ltd.
Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions.
Drawings are not to scale. Dimensions are in mm. **NZ Patent No. 733386, 628616.** 11/2024



CavitySliders.com

info@cavitysliders.co.nz 0800 754 337

NEW ZEALAND MADE

masterspec partner

CL400® Magnetic Passage Product Codes

Function		Finish	Door Thickness		
			34-40mm	40-46mm	46-52mm
Blank/Blank (Non-Latching)		Bright Chrome	CL400A0025	CL400A0026	CL400A0027
		Satin Chrome	CL400A0125	CL400A0126	CL400A0127
		Oil Rubbed Bronze	CL400A0225	CL400A0226	CL400A0227
		Satin Nickel	CL400A0325	CL400A0326	CL400A0327
		Matte Black	CL400A0425	CL400A0426	CL400A0427
Blank/Blank (Magnetic Latching)		Bright Chrome	CL400A0028	CL400A0029	CL400A0030
		Satin Chrome	CL400A0128	CL400A0129	CL400A0130
		Oil Rubbed Bronze	CL400A0228	CL400A0229	CL400A0230
		Satin Nickel	CL400A0328	CL400A0329	CL400A0330
		Matte Black	CL400A0428	CL400A0429	CL400A0430

© All copyright and other property in this document is reserved by Cavity Sliders Ltd.
Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions.
Drawings are not to scale. Dimensions are in mm. **NZ Patent No. 733386, 628616.** 11/2024

CavitySliders.com

info@cavitysliders.co.nz 0800 754 337

Specs and Instructions

Cavity Sliders™

CaviLock

CL400® Magnetic Privacy




CL400® Magnetic Privacy

The CL400® Privacy option matches the other configurations in the range. The magnetic latching feature ensures the door doesn't roll open - even if the snib is not engaged.


Features

- Door slides flush back into the pocket
- Patented magnetic technology
- Positive grip for heavy doors
- Suitable for cavity slider or surface sliding doors

Product Specifications



Finish Options



Technical Information

Door Thickness	34-52mm
Suitable Door Types	Timber, Aluminium, Steel
Options	Snib/Snib, Snib/Emergency Release Left Handed, Snib/Emergency Release Right Handed

© All copyright and other property in this document is reserved by Cavity Sliders Ltd.
Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions.
Drawings are not to scale. Dimensions are in mm. **NZ Patent No. 733386, 628616.** 11/2024




CavitySliders.com

info@cavitysliders.co.nz 0800 754 337

NEW ZEALAND MADE

masterspec partner

CL400® Magnetic Privacy Product Codes

Function		Finish	Door Thickness		
			34-40mm	40-46mm	46-52mm
Snib/Snib		Bright Chrome	CL400B0025	CL400B0030	CL400B0035
		Satin Chrome	CL400B0125	CL400B0130	CL400B0135
		Oil Rubbed Bronze	CL400B0225	CL400B0230	CL400B0235
		Satin Nickel	CL400B0325	CL400B0330	CL400B0335
		Matte Black	CL400B0425	CL400B0430	CL400B0435
LH ER/Snib RH		Bright Chrome	CL400B0028	CL400B0033	CL400B0038
		Satin Chrome	CL400B0128	CL400B0133	CL400B0138
		Oil Rubbed Bronze	CL400B0228	CL400B0233	CL400B0238
		Satin Nickel	CL400B0328	CL400B0333	CL400B0338
		Matte Black	CL400B0428	CL400B0433	CL400B0438
LH Snib/ER RH		Bright Chrome	CL400B0029	CL400B0034	CL400B0039
		Satin Chrome	CL400B0129	CL400B0134	CL400B0139
		Oil Rubbed Bronze	CL400B0229	CL400B0234	CL400B0239
		Satin Nickel	CL400B0329	CL400B0334	CL400B0339
		Matte Black	CL400B0429	CL400B0434	CL400B0439

© All copyright and other property in this document is reserved by Cavity Sliders Ltd.
Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions.
Drawings are not to scale. Dimensions are in mm. **NZ Patent No. 733386, 628616.** 11/2024

Specs and Instructions

CavitySliders.com

info@cavitysliders.co.nz 0800 754 337

NEW ZEALAND MADE

masterspec partner

Cavity Sliders™

CL400® Magnetic Key Locking



CL400® Magnetic Key Locking

The CL400 Key Locking option is suitable for residential or light commercial use in internal situations where medium security is required.


It incorporates a single or double Euro Profile cylinder. All Key Locking handles come with a raised shroud as standard for increased security.*

Features


- Security
- Door slides flush back into the pocket
- Patented magnetic technology
- Positive grip for heavy doors
- Suitable for cavity slider or surface sliding doors

Product Specifications


Front Plate




Side Handle



Recessed Striker



Finish Options



Bright Chrome | Satin Chrome | Oil Rubbed Bronze | Satin Nickel



Matte Black

Technical Information

Door Thickness	34-52mm
Suitable Door Types	Timber, Aluminium, Steel
Options	Key/Blank Left Handed, Key/Blank Right Handed, Key/Snib Right Handed, Key/Snib Left Handed, Key/Key

* Not suitable as a secure exterior lock.

© All copyright and other property in this document is reserved by Cavity Sliders Ltd.
Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions.
Drawings are not to scale. Dimensions are in mm. **NZ Patent No. 733386, 628616.** 11/2024






CavitySliders.com

info@cavitysliders.co.nz 0800 754 337

NEW ZEALAND MADE

masterspec partner

CL400® Magnetic Key Locking Product Codes

Function		Finish	Door Thickness		
			34-40mm	40-46mm	46-52mm
Blank/Key RH		Bright Chrome	CL400C0025	CL400C0035	CL400C0045
		Satin Chrome	CL400C0125	CL400C0135	CL400C0145
		Oil Rubbed Bronze	CL400C0225	CL400C0235	CL400C0245
		Satin Nickel	CL400C0325	CL400C0335	CL400C0345
		Matte Black	CL400C0425	CL400C0435	CL400C0445
LH Key/Blank		Bright Chrome	CL400C0026	CL400C0036	CL400C0046
		Satin Chrome	CL400C0126	CL400C0136	CL400C0146
		Oil Rubbed Bronze	CL400C0226	CL400C0236	CL400C0246
		Satin Nickel	CL400C0326	CL400C0336	CL400C0346
		Matte Black	CL400C0426	CL400C0436	CL400C0446
LH Snib/Key RH		Bright Chrome	CL400C0027	CL400C0037	CL400C0047
		Satin Chrome	CL400C0127	CL400C0137	CL400C0147
		Oil Rubbed Bronze	CL400C0227	CL400C0237	CL400C0247
		Satin Nickel	CL400C0327	CL400C0337	CL400C0347
		Matte Black	CL400C0427	CL400C0437	CL400C0447
LH Key/Snib RH		Bright Chrome	CL400C0028	CL400C0038	CL400C0048
		Satin Chrome	CL400C0128	CL400C0138	CL400C0148
		Oil Rubbed Bronze	CL400C0228	CL400C0238	CL400C0248
		Satin Nickel	CL400C0328	CL400C0338	CL400C0348
		Matte Black	CL400C0428	CL400C0438	CL400C0448
Key/Key		Bright Chrome	CL400C0029	CL400C0039	CL400C0049
		Satin Chrome	CL400C0129	CL400C0139	CL400C0149
		Oil Rubbed Bronze	CL400C0229	CL400C0239	CL400C0249
		Satin Nickel	CL400C0329	CL400C0339	CL400C0349
		Matte Black	CL400C0429	CL400C0439	CL400C0449

© All copyright and other property in this document is reserved by Cavity Sliders Ltd.
Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions.
Drawings are not to scale. Dimensions are in mm. **NZ Patent No. 733386, 628616.** 11/2024

Specs and Instructions

CavitySliders.com

info@cavitysliders.co.nz 0800 754 337

NEW ZEALAND MADE

masterspec partner

Cavity Sliders™

CaviLock

CL400® Magnetic Bi-Parting



CL400® Magnetic Bi-Parting

The CL400 Bi-Parting set is suitable for use where two doors meet in the middle. Passage, Privacy, and Key Locking configurations are available.

The positive hold close action brings the doors together smoothly and holds them together until ready to open.


Note: Privacy and Key Locking configurations are not suitable as a high security option when used in a Bi-Parting door setup.

Features


- Doors slide flush back into the pockets
- Patented magnetic technology
- Positive grip for heavy doors
- Suitable for cavity slider or surface sliding doors

Configurations


Passage - Non-Latching




Passage - Latching



Privacy




Key Locking




Matching Handle Set

Passage / Privacy



Key Locking



Finish Options



Bright Chrome



Satin Chrome



Oil Rubbed Bronze



Satin Nickel



Matte Black

Technical Information

Door Thickness	34-52mm
Suitable Door Types	Timber, Aluminium, Steel
Options	Passage, Privacy, and Key Locking

© All copyright and other property in this document is reserved by Cavity Sliders Ltd.
Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions.
Dimensions are in mm. **NZ Patent No. 733386, 628616.** 11/2024








CavitySliders.com

info@cavitysliders.co.nz 0800 754 337

NEW ZEALAND MADE

masterspec partner

CL400® Magnetic Bi-Parting Product Codes

Function	Finish	Door Thickness		
		34-40mm	40-46mm	46-52mm
Passage (Non-latching) 	Bright Chrome	CL400D0025	CL400D0026	CL400D0027
	Satin Chrome	CL400D0125	CL400D0126	CL400D0127
	Oil Rubbed Bronze	CL400D0225	CL400D0226	CL400D0227
	Satin Nickel	CL400D0325	CL400D0326	CL400D0327
	Matte Black	CL400D0425	CL400D0426	CL400D0427
Passage (Magnetic latching) 	Bright Chrome	CL400D0028	CL400D0029	CL400D0030
	Satin Chrome	CL400D0128	CL400D0129	CL400D0130
	Oil Rubbed Bronze	CL400D0228	CL400D0229	CL400D0230
	Satin Nickel	CL400D0328	CL400D0329	CL400D0330
	Matte Black	CL400D0428	CL400D0429	CL400D0430
Privacy Snib/Snib 	Bright Chrome	CL400D0035	CL400D0040	CL400D0045
	Satin Chrome	CL400D0135	CL400D0140	CL400D0145
	Oil Rubbed Bronze	CL400D0235	CL400D0240	CL400D0245
	Satin Nickel	CL400D0335	CL400D0340	CL400D0345
	Matte Black	CL400D0435	CL400D0440	CL400D0445
Privacy Emerg/Snib 	Bright Chrome	CL400D0038	CL400D0043	CL400D0048
	Satin Chrome	CL400D0138	CL400D0143	CL400D0148
	Oil Rubbed Bronze	CL400D0238	CL400D0243	CL400D0248
	Satin Nickel	CL400D0338	CL400D0343	CL400D0348
	Matte Black	CL400D0438	CL400D0443	CL400D0448
Key Locking Blank/Key 	Bright Chrome	CL400D0050	CL400D0060	CL400D0070
	Satin Chrome	CL400D0150	CL400D0160	CL400D0170
	Oil Rubbed Bronze	CL400D0250	CL400D0260	CL400D0270
	Satin Nickel	CL400D0350	CL400D0360	CL400D0370
	Matte Black	CL400D0450	CL400D0460	CL400D0470
Key Locking Snib/Key 	Bright Chrome	CL400D0052	CL400D0062	CL400D0072
	Satin Chrome	CL400D0152	CL400D0162	CL400D0172
	Oil Rubbed Bronze	CL400D0252	CL400D0262	CL400D0272
	Satin Nickel	CL400D0352	CL400D0362	CL400D0372
	Matte Black	CL400D0452	CL400D0462	CL400D0472
Key Locking Key/Key 	Bright Chrome	CL400D0055	CL400D0065	CL400D0075
	Satin Chrome	CL400D0155	CL400D0165	CL400D0175
	Oil Rubbed Bronze	CL400D0255	CL400D0265	CL400D0275
	Satin Nickel	CL400D0355	CL400D0365	CL400D0375
	Matte Black	CL400D0455	CL400D0465	CL400D0475

© All copyright and other property in this document is reserved by Cavity Sliders Ltd.
Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions.
Dimensions are in mm. **NZ Patent No. 733386, 628616.** 11/2024

Specs and Instructions

CavitySliders.com

info@cavitysliders.co.nz 0800 754 337


NEW ZEALAND MADE

masterspec partner

Technical Detail


Door Cutout

The CL400® requires a simple door cutout. Complete instructions and templates are supplied with every handle.



Face Plate


Different face plate widths are available, to suit doors 34-40mm, 40-46mm or 46-52mm thick.




Striker

Depending on the configuration of the handle, the striker supplied is designed to either sit flush with the face of the closing jamb or recessed into the closing jamb. Striker cutout template and instructions are supplied with your handle and cover installation into a flush or recessed closing jamb.

Flush Striker - Passage and Privacy Handles



Recessed Striker - Key Locking Handles



© All copyright and other property in this document is reserved by Cavity Sliders Ltd.
Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions.
Drawings are not to scale. Dimensions are in mm. **NZ Patent No. 733386, 628616.** 05/2025

CavitySliders.com

info@cavitysliders.co.nz 0800 754 337

NEW ZEALAND MADE

masterspec partner