


DORMA Automatics



Options
The Automatic Door Experts

Microhead Sensor

Compact microwave sensor for general application.

- Max. height = 3m
- Min. field = 0.5 X 0.5m
- Max. field = 4 X 2.5m
- Flexible mounting options.
- Adjustable field size.



60 x 80mm

NEW

K3 & K4 Key Switches


- K3 Off/Auto/Open.
- K4 Lock/Exit/Auto/Open.



115 x 40mm

PIR 20 Sensor

- Compact infrared sensor.
- Max. height 3m.
- Max. width 3m.
- Max. depth 1.5m.



25 x 70mm

M1 Mode Switch

- Remote Auto/Lock function with press to open button.
- Suitable for counters, reception desks etc.




90 x 35mm

OPO-1 Soffit Sensor

Ceiling mounted Passive Infrared Sensor.

- Max. height 5m
- Min. field 1.7m X 2.3m at max. height
- Max. field 3.2m X 2.3m at max. height



Diameter: 165mm

M2 & M4 Mode Switch

- M2 On/Off & Climate control function.
- M4 Off/Exit/Auto/Open.



115 x 40mm

Crystal Presence Sensor

Active infrared presence sensor.

- Safety beams: 100mm safety curtain in front of door adjustable up to 2m wide.



50 x 240mm

P1 Push Button

Door actuation switch.



75 x 33mm

BEA Active 8.1 Sensor

- Combined microwave (opening) and active infrared safety sensor.
- Dual technology and function in a single housing.
- Requires minimal mounting space.
- Max mounting height: 3m.



55 x 260mm

P2 Push Button

- Mushroom head push button.
- Suitable for after hours egress and emergency exit.
- Compliant with AS 1428.



Diameter: 45mm
Plate: 115 x 40mm

SK Series Key Switches

- Solid construction with stainless steel finish.
- Security concealed fixing points & suitable for most master key systems.
- SK2 – Spring return switch.
- SK4 – Four position switch.



65 x 37mm

P3 Push Button

Push button activation for industrial applications.



105 x 67mm

K1 & K2 Spring Return Key Switch

External key switch for external entry in Lock and Exit mode.

- K1 On/Off switch.
- K2 Spring return actuation.



115 x 40mm

P4 Push Button

Heavy duty industrial push button.



68 x 68mm

Rocker Switches


- Palm activated rocker switch.
- Stainless steel finish.
- Suitable for a variety of applications.
- Suitable for disability applications.



80 x 80mm

Motor Electric Lock

- Provides high security with Smart Lock feature.
- Fully enclosed lock and digital encoder.
- Helical crowned high tensile steel gears.
- Door can be locked in any position.



135 x 385mm

Privacy Switches

- Suitable for public toilet entry.
- Larger user friendly rocker buttons.
- Occupied/Locked LED output.
- Suitable for disability applications.



118 x 70mm

118 x 118mm

People Counting Kit

- Accurate directional people counter.
- Ideal for Shopping Centres, Supermarkets, Retail outlets etc.
- Can be interfaced with Customer Mode Pad.



Touchless Switch Options

CleanScan or Magic Switch

Touchless Door Operation Switches.

- Hospitals.
- Cleanrooms.
- Food preparation.
- Hygienic Activation.



85 x 85mm

80 x 80mm

Time Clock

7/365 day time clock for door mode control.



Presco Keypad

Security coded digital keypad.



125 x 76mm


Nylon Floor Guide

Versatile for 12 – 19mm Glass Doors.



Remote Controls

- 1 - 4 button remote control.
- Latest design and technology in remote activation.



NEW

Chrome Finish Nylon Floor Guide

This optional chrome plate is available for a prestige finish.



Customer Mode Pad

- Simple one-touch operation.
- Selectable customer warning alarms.
- Adjustable climate control.
- People counting function.
- Diagnostic feedback.



100 x 43mm

NEW


Roller Floor Guides Timber & Glass

Standard timber and glass floor-mounted door guides.



Options Board & Output Relay Board

- Flexible interface between door operator and security.
- Can accept NO/NC inputs.
 - Security Lock/Open.
 - Climate.
- Can provide NO/NC or Voltage outputs.
 - Door Locked/Open Status.
 - Battery/Mains power status.



Standard Single & Double Floor Guide

Aluminium-framed roller floor guides.



Integrated systems.



Door Control




Automatics



Glass Fittings and Accessories



Movable Walls



Security/Time and Access (STA)

HEAD OFFICE

VICTORIA

DORMA Automatics Pty Ltd
46 Abbott Road
Hallam, Victoria
AUSTRALIA 3803
Tel. +61 (3) 9796 4111
Fax. +61 (3) 9796 3767

NEW SOUTH WALES

DORMA Automatics Pty Ltd
Unit 1 block V 391 Park
Road
Regents Park, New South
Wales
AUSTRALIA 2143
Tel. +61 (2) 9738 8222
Fax. +61 (2) 9738 8022

QUEENSLAND

DORMA Automatics Pty Ltd
44 Harries Road
Coorparoo, Queensland
AUSTRALIA 4151
Tel. +61 (7) 3394 6800
Fax. +61 (7) 3394 2953

WESTERN AUSTRALIA

DORMA Automatics Pty Ltd
36 Crompton Road
Rockingham, Western
Australia
AUSTRALIA 6168
Tel. +61 (8) 9527 2981
Fax. +61 (8) 9592 6242

NEW ZEALAND

DORMA NZ Limited
20 Sylvia Park Road
Mt Wellington, Auckland
NEW ZEALAND
Tel. +64 (9) 573 1999
Fax. +64 (9) 573 1991

AGENTS / DISTRIBUTORS

SOUTH AUSTRALIA

Stratford Services Pty Ltd
2A Meredith Street
Newton, South Australia
AUSTRALIA 5074
T: +61 (8) 8337 3077
F: +61 (8) 8336 9431

NORTHERN TERRITORY

Architectural Hardware
78 Winnellie Road
Winnellie, Northern Territory
AUSTRALIA 0821
T: +61 (8) 8984 4566
F: +61 (8) 8984 3339

INTERNATIONAL OFFICES

SAUDI ARABIA

DORMA Arabia Automatic Doors Ltd
T: +9663 847 4300
F: +9663 847 2368

UNITED ARAB EMIRATES

DORMA Gulf Door Controls
T: +971 4 802 0400
F: +971 4 886 9100

DORMA Middle East LLC

T: +971 4 282 4424
F: +971 4 282 5313

SINGAPORE

DORMA Far East Pte Ltd
T: +65 6268 7633
F: +65 6459 0137

HONG KONG

DORMA Door Controls Ltd
T: + 852 2 503 4632
F: + 852 2 887 5370

infoautomatics@dorma.com.au
www.dorma.com.au