

## WEATHERTEX CONSTRUCTION DETAILS


PRIMELOK WEATHERBOARDS


DIRECT FIX
CONSTRUCTION




**NEW ZEALAND 8TH SEPTEMBER 2022** 

Version: NZP080922DF







**്**weathertex

DRAWING NAME:

DIERECT FIX INSTALLATION - INTERNAL COMBO CORNER

(PRIMELOK RANGE)

SCALE: DRAWN BY: CHECKED BY: DATE: DRAWING No.: SHT SIZE


SHT SIZE


R.STUART


O6.09.22

NZ-PL-DF-3

A4









් weathertex	
--------------	--


	DRAWING NAME:	SCALE:	DRAWN BY:	CHECKED BY:	DATE:	DRAWING No.:	SHT SIZE
W .	DIRECT FIX INSTALLATION - JOINING						
~~	(PRIMELOK RANGE)	NTS	A.MOATE	R.STUART	06.09.22	NZ-PL-DF-6	A4






വ് weathertex

	DRAWING NAME:	SCALE:	DRAWN BY:	CHECKED BY:	DATE:	DRAWING No.:	SHT SIZE
<b>J</b>	DIRECT FIX INSTALLATION - WINDOW JAMB						
•	(PRIMELOK RANGE)	NTS	A.MOATE	R.STUART	06.09.22	NZ-PL-DF-8	A4



These drawings are for information only. They do not contain full details required for construction and must be used in conjunction with the current issue Weathertex Installation Manual, New Zealand Building Code and Local Regulations. Weathertex recommends gaining professional advice to ensure the drawings are suitable for 9.5mm PRIMELOK WEATHERBOARDS your project. Weathertex accepts no liability in respect to the use of these drawings. INTERNAL LINING NAILING PATTERN REFER TO **INSTALLATION MANUAL** FLEXIBLE WALL UNDERLAY PRIMELOK STARTER STRIP **HEAD FLASHING MIN 15° EXTENDING** 35mm BEHIND CLADDING 50mm SEALANT STRIP AT **BOTH ENDS OF FLASHING** 5mm MIN BOARD CLEARANCE FROM FLASHING MIN 10mm COVER -ARCHITRAVE **OVER FLANGE** NOTE: IN WIND AREAS OF VERY HIGH AND ABOVE, WINDOW FRAME SEALANT MUST BE INSTALLED BETWEEN UNDERSIDE OF THE HEAD FLASHING AND TOP OF THE WINDOW HEAD FLANGE -AIRSEAL NOTE 2: USE A SUITABLE PACKER ABOVE WINDOW IF OPENING DOES NOT COINCIDE WITH └WINDOW REVEAL COURSES AND FASTEN THROUGH THE FACE OF THE BOARD AT EACH STUD DRAWING NAME: SCALE: DRAWN BY: CHECKED BY: DATE: DRAWING No.: SHT SIZE **DIRECT FIX INSTALLATION - WINDOW LINTEL** weathertex (PRIMELOK RANGE) NTS A.MOATE R.STUART 06.09.22 NZ-PL-DF-10 A4



් weathertex

advice to ensure the drawings are suitable for your project. Weathertex accepts no liability in

respect to the use of these drawings.


DRAWING NAME:


DIRECT FIX INSTALLATION - METER BOX JAMB

(PRIMELOK RANGE)


SCALE: DRAWN BY: CHECKED BY: DATE: DRAWING No.: SHT SIZE

NTS A.MOATE R.STUART 06.09.22 NZ-PL-DF-11 A4





	DRAWING NAME:	SCALE:	DRAWN BY:	CHECKED BY:	DATE:	DRAWING No.:	SHT SIZE
X	DIRECT FIX INSTALLATION - METER BOX HEAD						
	(PRIMELOK RANGE)	NTS	A.MOATE	R.STUART	06.09.22	NZ-PL-DF-13	A4



**്**weathertex

DRAWING NAME:

DIRECT FIX INSTALLATION - GROUND CLEARANCE

(PRIMELOK RANGE)

SCALE: DRAWN BY: CHECKED BY: DATE: DRAWING No.: SHT SIZE


SHT SIZE

R.STUART

O6.09.22

NZ-PL-DF-14

A4





් weathertex


DRAWING NAME:
DIRECT FIX INSTALLATION - DOOR HEAD
(PRIMELOK RANGE)


SCALE: DRAWN BY: CHECKED BY: DATE: DRAWING No.: SHT SIZE


NTS A.MOATE R.STUART 06.09.22 NZ-PL-DF-15 A4














nla.	DRAWING NAME:	SCALE:	DRAWN BY:	CHECKED BY:	DATE:	DRAWING No.:	SHT SIZE
<b>d</b> weathertex	DIRECT FIX INSTALLATION - PIPE PENETRATION						
- Wediligiev	(PRIMELOK RANGE)	NTS	A.MOATE	R.STUART	06.09.22	NZ-PL-DF-20	A4







nla.	DRAWING NAME:	SCALE:	DRAWN BY:	CHECKED BY:	DATE:	DRAWING No.:	SHT SIZE
	DIRECT FIX INSTALLATION - END STOP TO ALTERNATIVE MATERIALS						
- Wodillollox	(PRIMELOK RANGE)	NTS	A.MOATE	R.STUART	06.09.22	NZ-PL-DF-23	A4

