

LATITUDE+

	WIDTH						
	710	760	810	860	910	960	
HEIGHT	1950	0.599	0.615	0.629	0.643	0.656	0.668
	2000	0.600	0.616	0.631	0.645	0.658	0.67
	2050	0.601	0.617	0.632	0.646	0.659	0.671
	2100	0.601	0.618	0.633	0.647	0.66	0.673
	2150	0.602	0.619	0.634	0.648	0.662	0.674
	2200	0.603	0.62	0.635	0.65	0.663	0.675
	2250	0.604	0.621	0.636	0.651	0.664	0.677

CLASSIC+

	WIDTH						
	710	760	810	860	910	960	
HEIGHT	1950	0.597	0.613	0.628	0.642	0.655	0.667
	2000	0.598	0.614	0.629	0.643	0.656	0.668
	2050	0.598	0.615	0.63	0.644	0.657	0.67
	2100	0.599	0.616	0.631	0.645	0.659	0.671
	2150	0.600	0.617	0.632	0.647	0.66	0.672
	2200	0.601	0.618	0.633	0.648	0.661	0.674
	2250	0.602	0.619	0.634	0.649	0.662	0.675

LATITUDE THERMAL WIDE STILE

HEIGHT	WIDTH					
	710	760	810	860	910	960
1950	0.482	0.490	0.498	0.505	0.511	0.517
2000	0.483	0.491	0.499	0.506	0.513	0.519
2050	0.484	0.492	0.500	0.507	0.514	0.52
2100	0.484	0.493	0.501	0.508	0.515	0.521
2150	0.485	0.494	0.502	0.509	0.516	0.522
2200	0.486	0.495	0.503	0.510	0.517	0.523
2250	0.487	0.496	0.504	0.511	0.518	0.524

CLASSIC THERMAL WIDE STILE

	WIDTH						
	710	760	810	860	910	960	
HEIGHT	1950	0.502	0.511	0.518	0.526	0.532	0.538
	2000	0.503	0.512	0.520	0.527	0.533	0.539
	2050	0.504	0.513	0.521	0.528	0.534	0.540
	2100	0.505	0.514	0.522	0.529	0.536	0.542
	2150	0.506	0.515	0.523	0.530	0.537	0.543
	2200	0.507	0.516	0.524	0.531	0.538	0.544
	2250	0.507	0.516	0.525	0.532	0.539	0.545

