


HINGED DOOR, OPEN OUT STEPPED AND PARLIAMENT HINGE CROSS SECTION

Cad Ref. AHD01-0

Scale 1:2

Date 01.04.19




HINGED DOOR, OPEN IN WITH SASH

CROSS SECTION

Cad Ref. AHD02-0

Scale 1:2

Date 01.04.19






HINGED DOOR, OPEN IN AND OUT WITH BOTTOM RAIL EXTENDER CROSS SECTION

Cad Ref. AHD03-0

Scale 1:2

Date 01.04.19






FRENCH DOOR, OPEN OUT COUPLED SIDELIGHT AND VISION RAILS CROSS SECTION

Cad Ref. AHD04-0

Scale 1:2

Date 01.04.19






FRENCH DOOR, OPEN OUT SIDELIGHT AND 62MM VISION RAILS CROSS SECTION

Cad Ref. AHD05-0

Scale 1:2

Date 01.04.19




HINGED DOOR, SIDELIGHT MULLIONS AND COUPLING BAR

CROSS SECTION


Cad Ref. AHD06-0

Scale 1:2


Date 01.04.19



DIRECT GLAZING OPTION



SECTION A-A HEAVY DUTY SIDELIGHT MULLION OPTION







SECTION A-A COUPLING OPTION

HINGED DOOR, OPEN IN AND OUT WITH OVERLIGHT TRANSOM CROSS SECTION

Cad Ref. AHD07-0

Scale 1:2

Date 01.04.19



SECTION A-A
OPEN IN


SECTION A-A
OPEN OUT

HINGED DOOR, OPEN OUT WITH OVERLIGHT SASH CROSS SECTION

Cad Ref. AHD08-0

Scale 1:2

Date 01.04.19



SECTION A-A

OVERLIGHT TRANSOM OPTION

SECTION A-A

COUPLED AWNING FRAME OPTION




FRENCH DOOR, OPEN IN AND OUT

CROSS SECTION

Cad Ref. AHD09-0

Scale 1:2

Date 01.04.19





FRENCH DOOR, OPEN IN AND OPEN OUT - 120mm WIDE STILES CROSS SECTION


Cad Ref. AHD10-0

Scale 1:2


Date 01.04.19



SECTION A-A
OPEN IN OPTION



SECTION A-A
OPEN OUT OPTION




FRENCH DOOR, OPEN OUT FRENCH FOLD AWAY DOOR CROSS SECTION


Cad Ref. AHD11-0

Scale 1:2


Date 01.04.19



FOLD AWAY DOOR OPERATION




Twin Bolt Lock with
Bi-fold Operator



Note:
Bi-fold Operator can be replaced
with a Lever Lock but it will limit
the doors to opening less than 180°

SECTION A-A




HINGED DOOR, COUPLING BAR OPTION CROSS SECTION


Cad Ref. AHD12-0

Scale 1:2


Date 01.04.19




05410
180° Standard Coupling Bar




05411
135° Coupling Bar



05412
90° Corner Coupling



05410
Standard Overlight Coupling Bar



05413
Heavy Duty Overlight Coupling Bar